To my wonderful parents, Albert and Sharon Reece for their infinite love, encouragement, and support

ACKNOWLEDGEMENTS

I would first like to express my deepest gratitude to my thesis advisor, Dr. Brian Wadzinski, for his continuous support, guidance, and patience. I always felt that he truly wanted me to succeed in my PhD, and I am very grateful for all of the time that he invested in my development as a scientist. I am also very grateful for the efforts and advice of my thesis committee: Dr. Bih-Hwa Shieh, Dr. George Hill, Dr. Roger Chalkley, and Dr. Joey Barnett. Their helpful suggestions and scientific contributions were invaluable. In addition, I would like to thank Dr. Lee Limbird who gave important and sage advice to me about my project. I would also like to especially thank Dr. Lou DeFelice, who always encouraged me and believed in me. To all the members of the Wadzinski laboratory, I will always be thankful for your friendship and support during my graduate years. In particular, I would like to recognize Matt Mazalouskas who I collaborated with on several of the studies found in Chapter II. I am very fortunate to have developed friendships with several wonderful people during graduate school, who provided me with laughter and emotional support, and truly made my days brighter.

Nobody has been more important to me in the pursuit of this degree than the members of my family. My sisters, Brynne and Sharon-Andrea, have become more than just sisters to me – they are my best friends as well. Words cannot express the gratitude that I feel towards my parents, Albert and Sharon Reece, for their constant prayers on my behalf, their inexhaustible encouragement of my spirits, and their unfailing confidence in my abilities.

Lastly, this work would not have been possible without the financial support of the Vanderbilt Training Grant 2-T32-GM07628 and NIGMS Predoctoral Fellowship

which were awarded to me, and NIH Grants GM051366 and 354DK070787 which were awarded to my advisor, Dr. Brian Wadzinski.

TABLE OF CONTENTS

	Page
DEDICATION	iii
ACKNOWLEDGEMENTS	iv
LIST OF TABLES	ix
LIST OF FIGURES	x
Chapter	
I. INTRODUCTION	1
Regulation of Cellular Signaling by the Reversible Phosphorylation	
of Proteins	
Serine/Threonine Phosphatases	
Overview of PP2A	5
Elucidating the Biological Functions of PP2A	
Regulation of PP2A	13
Defining Cellular Substrates for PP2A	
Ca ²⁺ /Calmodulin-Dependent Protein Kinase IV	
CaMKIV Activation/Inactivation	
CaMKIV Function	
The Role of PP2A in CaMKIV Signaling	
Summary	30
II. DIFFERENTIAL REGULATION OF ENDOGENOUS AND ECTOPIC	20
CAMKIV PHOSPHORYLATION BY PP2A	32
Introduction	32
Materials and Methods	
Antibodies and Reagents	
Cell Culture and Transfection	
Subcellular Fractionation	
Immunofluorescence and Confocal Microscopy	
Coimmunoprecipitations	
Characterization of CaMKIV Phospho-Specific Antibodies	
Analysis of CaMKIV T200 Phosphorylation	
Western Analysis	41

	Results	42
	Characterization of Two CaMKIV Phospho-T200-Specific Antibodies	42
	The Phosphorylation of Endogenous and Ectopic CaMKIV is	
	Differentially Regulated by PP2A	48
	Subcellular Localization of Ectopic and Endogenous CaMKIV	51
	Endogenous, but not Ectopic CaMKIV, Binds to PP2Ac	53
	Discussion	56
III.	THE REGULATORY B SUBUNITS OF PP2A ARE CRITICAL	<i>C</i> 1
	MODULATORS OF THE CAMKIV•PP2A SIGNALING COMPLEX	61
	Introduction	61
	Materials and Methods	63
	Antibodies and Reagents	
	Plasmid Constructs	
	Cell Culture and Transfection	
	RNAi-Mediated Knockdown of Bα	
	Coimmunoprecipitations	
	Purification of FLAG-Tagged Proteins	
	Preparation of Phosphorylated Substrates and Phosphatase Assays	
	In Vitro CaMKIV Dephosphorylation Assays	
	Western Analysis	
	Results	70
	Bα- and Bδ-Containing PP2A Holoenzymes Associate with CaMKIV	
	The B subunits Recruit PP2Ac to CaMKIV	
	AB α C- and AB δ C-Mediated Dephosphorylation of CaMKIV	
	Multiple B subunit-Containing Holoenzymes Dephosphorylate CaMKIV	
	Discussion	83
IV.	SUMMARY AND FUTURE DIRECTIONS	87
	Summary	87
	Future Studies	90
	Does the Reconstituted CaMKIV • PP2A Complex Mimic the	
	Endogenous Complex?	90
	Does the Regulatory B subunit Remain Stably Associated	,
	with CaMKIV?	92
	What is the Oligomeric Composition of the CaMKIV•PP2A Signaling	> =
	Complex?	93
	Which Region of the B Subunit(s) Contains the Binding Domain	> 5
	for CaMKIV	95

LITERATURE CITED97	7
--------------------	---

LIST OF TABLES

Table		Page	
1.	Nomenclature and distribution of the PP2A regulatory B subunits	10	
2.	Key Features of CaMKIV	31	

LIST OF FIGURES

Figu	ure I	age
1.	Reversible phosphorylation of proteins	3
2.	Phylogenetic tree of serine/threonine phosphatases	4
3.	Ribbon diagram of the PP2A holoenzyme	7
4.	Multi-level regulation of PP2A	14
5.	Protein kinase phosphatase signaling modules	17
6.	Schematic representation of the organization of the rat CaMKIV gene	20
7.	Schematic diagram of the domain structure of CaMKIV	21
8.	The CaMKIV signaling pathway	23
9.	Chaacterization of the p-T200 (NEP) antibody	43
10.	Characterization of the p-T200 (BL) antibody	46
11.	The CaMKIV p-T200 antibody detects endogenous CaMKIV phosphorylation	47
12.	Endogenous CaMKIV phosphorylation is tightly regulated by PP2A	49
13.	Inhibition of PP2A enhances ionomycin-induced phosphorylation of endogenou CaMKIV but has no effect on ectopic CaMKIV phosphorylation	
14.	Analysis of endogenous and exogenous CaMKIV distribution by subcellular fractionation	52
15.	Analysis of endogenous and exogenous CaMKIV subcellular localization by confocal immunofluorescence microscopy	
16.	PP2Ac associates with endogenous, but not ectopic CaMKIV	55
17.	Analysis of the subcellular localization of the key components of the CaMKIV signaling pathway by confocal immunofluorescence microscopy	59
18.	Formation of an ectopic Bα-containing CaMKIV•PP2A complex	71
19.	Characterization of the Bα and Bδ antibodies	72

20.	CaMKIV binds to both the B α - and B δ -containing PP2A holoenzymes	74
21.	Bα and Bδ recruit PP2Ac to CaMKIV	75
22.	ABαC- and ABδC-mediated dephosphorylation of CaMKIV	77
23.	Phosphatase activity of several FLAG-tagged B subunit containing holoenzymes	79
24.	Multiple B subunit-containing hoenzymes can dephosphorylate CaMKIV in vitro.	80
25.	Knockdown of Bα does not effect CaMKIV phosphorylation	82