Tbx2b IS REQUIRED FOR PARAPINEAL ORGANOGENESIS

Ву

Corey Deanne Snelson

Dissertation

Submitted to the Faculty of the

Graduate School of Vanderbilt University
in partial fulfillment of the requirements
for the degree of

DOCTOR OF PHILOSOPHY

in

Biological Sciences

May, 2009

Nashville, Tennessee

Approved:

Professor Lilianna Solnica-Krezel, Ph.D

Professor Christopher V.E. Wright, D. Phil

Professor Laurence Zwiebel, Ph.D

Professor Jasson R. Jessen, Ph.D

Professor Joshua T. Gamse, Ph.D

To my parents, Jackie and Gerry,

the most wonderful parents a girl could ever have.

ACKNOWLEDGEMENTS

First and foremost, I would like to thank all of the members of my committee, Dr. Jason Jessen and Dr. Larry Zwiebel, for their invaluable words of advice. In particular Dr. Lila Solnica-Krezel, Dr. Bruce Appel, and Dr. Chris Wright have taught me how to think like a developmental biologist, and treated me as a peer. Additionally, the work presented in Chapter IV of this work would not have been possible without the generous contributions of Dr. Ethan Scott and Lindsay Mason of Dr. Herwig Baier's laboratory. Finally, the work presented in this thesis is supported by a Whitehall Foundation Grant or NIH/NICHD grant.

The people that I work with in the Gamse Laboratory have made my life so much easier, and have without a doubt made lab work fun. I couldn't have asked for a better group of co-workers, and know that they have made the completion of my PhD possible: Robert Taylor who is the coolest person I know, Caleb Doll for his constant hollering that I love so much, Josh Clanton for his steady composure, Erin Booton, Nancy Hernandez de Borsetti, Anna Talaga, Kyle Hope and Tim Hegeman, my first and favorite undergrad: "haaaayyyyy......"

I have had the great fortune of making many, many friends while at Vanderbilt. In particular I have shared very many laughs with Jennifer Ellis, Sabata Lund, Eric Janson, Susanne Tranguch, Nikki Shariat, Alex and Erin Flynt, Jason and Rachel Aleksander, Nyk Reed, Drew Latimer, and Dan Carlin, my surrogate brother and antagonist, as well as many, many others too numerous to name here. I have to give special thanks to my first and best friend in Nashville,

Patricia Russell, who introduced me to the finest things in life: backpacking,
Jarlsberg cheese, and Bill Bryson. I will always have a special place in my heart
for anyone who can put up with me long enough to go out in the woods for days
at a time on backpacking trips, in particular, Josh Clanton, Robert and Katie
Taylor, Jason Aleksander, Dominique Donato, and my most reliable backpacking
partner and friend, Drew Latimer.

I am particularly blessed to have found Josh, my advisor, teacher, and friend. I will always be incredibly grateful to Josh for taking a chance on me. When I came to Josh's lab as the first graduate student, my scientific confidence had been completely destroyed by events that had occurred during previous graduate school experience. Josh spent a lot of time repairing that damage and wordlessly convinced me that I could be a good scientist. I hear horror stories from other students about their graduate experience, and all I can think is I am so, so, so lucky to have found Josh. THANK YOU SO MUCH!!!! I can never repay you for everything you've done for me.

Finally, my parents, who are the two most wonderful people to ever walk on the face of this planet. They love me unconditionally, and have always been there for me emotionally and FINANCIALLY! I would not be being truthful if I said that my father's career did not influence my own career choices. He is a true Renaissance man, and his curiosity about EVERYTHING is a true inspiration. I am especially close to my Mom, the Supernurse, who supports me no matter what, and has taught me so much about life, the world, and keeps me in the loop with crazy stories of her Appalachian patients. I love you!!!

TABLE OF CONTENTS

Pa	ge
DEDICATIONii	
ACKNOWLEDGEMENTSiii	
LIST OF TABLESviii	
LIST OF FIGURESix	
Chapter	
I. INTRODUCTION1	
Nervous System Asymmetry	
Nodal signaling dictates the direction of brain asymmetry in zebrafish	
Conserved habenulo-interpeduncular projections are dependent on the presence of the parapineal organ	
II. Tbx2b IS REQUIRED FOR THE DEVELOPMENT OF THE PARAPINEAL ORGAN25	
Abstract 25 Introduction 26 Materials and Methods 29 Zebrafish 29 Mutagenesis and Screening 29 Cloning of fby 30 Genotyping fby mutants 30 Morpholino injections 31 RNA in situ hybridization 31	
Immunofluorsence 32	

Time-lapse imaging	33
Cell ablation	
Results	
The from beyond mutation abolishes habenular asymmetry	
fby mutants have fewer and mispositioned parapineal cells	
The fby mutation introduces a premature stop codon	
in the <i>tbx2b</i> coding sequence	52
tbx2b is expressed early in the pineal complex anlage	
Migration of parapineal cells is disrupted in fby mutants	
Discussion	
Expression of <i>tbx2b</i> in the pineal complex specifies	
parapineal	64
tbx2b specifies parapineal cells without affecting	
Nodal signaling	66
Parapineal cells require tbx2b activity to migrate away	
from the pineal complex anlage	66
An evolutionarily conserved role for Tbx genes in parapineal	
formation?	
III. FORMATION OF THE ASYMMETRIC PINEAL COMPLEX IN	
ZEBRAFISH REQUIRES TWO INDEPENDENTLY ACTING	
TRANSCRIPTION FACTORS	70
Abstract	70
Introduction	
Materials and Methods	
Zebrafish	
RNA in situ hybridization	
BrdU labeling	
Time-lapse imaging	
Immunofluorsence	
Results	
Parapineal cell division ends prior to pineal cell division	
The parapineal organ in <i>flh</i> mutants develops similarly	7 3
to WT	90
Flh and Tbx2b do not regulate one another's expression	
flh; fby double mutants have an additive phenotype	
Discussion	
DISCUSSIOI1	91
IV DADADINIEAL CELLO ADICE EDOM DICCDETE LOCATIONIC MUTUUN	Ī
IV. PARAPINEAL CELLS ARISE FROM DISCRETE LOCATIONS WITHIN	
THE PINEAL COMPLEX ANLAGE	94
Abatuaat	2.4
Abstract	
Introduction	
Materials and Methods	99

Zebrafish	99
Photoconversion	
Time-lapse imaging	
RNA in situ hybridization	
Results	101
Results	
at the appropriate time and place	101
Parapineal cells migrate from the left and right sides	
of the pineal complex anlage	103
Parapineal cells arise from discrete locations with in	
the pineal complex anlage	108
tbx2b transcripts exhibit the same pattern in both fby	
and <i>lor</i> mutant embryos	111
The pineal complex phenotype of <i>lor</i> is morpholocially	
similar but not identical to fby	115
Discussion	118
Early fate mapping may distinguish between two models	
of parapineal cell development	118
How does Nodal signaling affect the behavior of	
parapineal cells?	120
Characterization of the <i>lor</i> mutant identifies a second	
hypomorphic allele of tbx2b	121
. At a t	
V. CONCLUSIONS AND FUTURE DIRECTIONS	123
Future Directions	127
What genes are responsible for parapineal organ	
migration?	127
How does <i>tbx2b</i> affect specification of the parapineal organ?	128
How has the fate of the parapineal cells in fby been	
changed?	133
Do parapineal cells follow a leader cell during migration?	134
How does the mutation in tbx2b affect pineal organ	
development?	135
Models of Parapineal Specification and Migration	
Concluding Remarks	142
DEFEDENCES	1//

LIST OF TABLES

Table		Page
1.	Number of labeled cells present in the pineal complex of fby mutants	44
2.	Fate of pineal complex cells labeled with BrdU between 10 s and 30 hpf	79
3.	Number of labeled cells present in the pineal complex of single and double mutants	85

LIST OF FIGURES

Fiç	Figure	
1.	Schematic representation of the 4 dpf larval zebrafish epithalamus	6
2.	Schematic representation of pineal complex development from somitogenesis through embryogenesis	19
3.	The left and right habenulae develop more symmetrically in from beyond (fby) mutants	38
4.	Asymmetric expression of Nodal pathway components was unaffected by the <i>fby</i> mutation	40
5.	Disruption of parapineal formation in fby mutant larvae	42
6.	Fewer and misplaced parapineal cells in fby mutants	47
7.	The fby mutation has ectopically placed GFP+ cells	48
8.	Reduced numbers of WT parapineal cells are able to migrate	51
9.	The fby mutation is a premature stop codon in the tbx2b gene	53
10	tbx2b expression in the pineal complex	56
11	. The planar cell polarity pathway is not disrupted in <i>fby</i> mutant embryos	59
12	Parapineal cells do not migrate to the left side of the brain in fby mutants	63
13	3. Cell division of parapineal precursors is largely complete by 18 s	78
14	Parapineal cells migrate asymmetrically in flh mutants	80
15	i. In <i>flh</i> mutants, parapineal specification is normal, but the pineal organ is reduced in size	84
16	5. Flh and Tbx2b to not regulate one another's expression	88
17	Double homozygous flh: fbv mutants exhibit an additive phenotype	90

18.	Parapineal cells express Kaede at 24 hpf in Tg(cfos:gal4VP16) ^{s1145t}	102
19.	Photoconversion of the anterior region of the pineal complex anlage at 24 hpf highlights parapineal cells	104
20.	Parapineal cells exhibit dynamic movement through migration from the right side of the pineal complex anlage	107
21.	Parapineal cells arise from discrete locations within the pineal complex anlage	110
22.	Expression of t <i>bx2b</i> is reduced in <i>fby</i> -/-; <i>lor</i> -/-; and <i>fby;lor</i> transheterozygotes at 24 hpf as compared to wild type	114
23.	The <i>lor</i> hypomorphic mutation in <i>tbx2b</i> phenocopies the <i>fby</i> mutation	117
24.	Models of parapineal cell formation	141
25.	Model of pineal complex development	143