

## BIBLIOGRAPHY

1. Partanen, J., Armstrong, E., Makela, T. P., Korhonen, J., Sandberg, M., Renkonen, R., Knuutila, S., Huebner, K., and Alitalo, K. (1992). A novel endothelial cell surface receptor tyrosine kinase with extracellular epidermal growth factor homology domains. *Mol Cell Biol* *12*, 1698-1707.
2. Shahrara, S., Volin, M. V., Connors, M. A., Haines, G. K., and Koch, A. E. (2002). Differential expression of the angiogenic Tie receptor family in arthritic and normal synovial tissue. *Arthritis Res* *4*, 201-208.
3. Puri, M. C., and Bernstein, A. (2003). Requirement for the TIE family of receptor tyrosine kinases in adult but not fetal hematopoiesis. *Proc Natl Acad Sci U S A* *100*, 12753-12758.
4. Antonescu, C. R., Yoshida, A., Guo, T., Chang, N. E., Zhang, L., Agaram, N. P., Qin, L. X., Brennan, M. F., Singer, S., and Maki, R. G. (2009). KDR activating mutations in human angiosarcomas are sensitive to specific kinase inhibitors. *Cancer Res* *69*, 7175-7179.
5. Puri, M. C., Rossant, J., Alitalo, K., Bernstein, A., and Partanen, J. (1995). The receptor tyrosine kinase TIE is required for integrity and survival of vascular endothelial cells. *Embo J* *14*, 5884-5891.
6. Sato, T. N., Tozawa, Y., Deutsch, U., Wolburg-Buchholz, K., Fujiwara, Y., Gendron-Maguire, M., Gridley, T., Wolburg, H., Risau, W., and Qin, Y. (1995). Distinct roles of the receptor tyrosine kinases Tie-1 and Tie-2 in blood vessel formation. *Nature* *376*, 70-74.

7. Qu, X., Tompkins, K., Batts, L., Puri, M. C., and Baldwin, H. S. (2010). Abnormal embryonic lymphatic vessel development in Tie1 hypomorphic mice. paper in review
8. Partanen, J., Puri, M. C., Schwartz, L., Fischer, K. D., Bernstein, A., and Rossant, J. (1996). Cell autonomous functions of the receptor tyrosine kinase TIE in a late phase of angiogenic capillary growth and endothelial cell survival during murine development. *Development* 122, 3013-3021.
9. Patan, S. (1998). TIE1 and TIE2 receptor tyrosine kinases inversely regulate embryonic angiogenesis by the mechanism of intussusceptive microvascular growth. *Microvasc Res* 56, 1-21.
10. Boutet, S. C., Quertermous, T., and Fadel, B. M. (2001). Identification of an octamer element required for in vivo expression of the TIE1 gene in endothelial cells. *Biochem J* 360, 23-29.
11. Taichman, D. B., Loomes, K. M., Schachtner, S. K., Guttentag, S., Vu, C., Williams, P., Oakey, R. J., and Baldwin, H. S. (2002). Notch1 and Jagged1 expression by the developing pulmonary vasculature. *Dev Dyn* 225, 166-175.
12. Korhonen, J., Partanen, J., Armstrong, E., Vaahtokari, A., Elenius, K., Jalkanen, M., and Alitalo, K. (1992). Enhanced expression of the tie receptor tyrosine kinase in endothelial cells during neovascularization. *Blood* 80, 2548-2555.
13. Kaipainen, A., Vlaykova, T., Hatva, E., Bohling, T., Jekunen, A., Pyrhonen, S., and Alitalo, K. (1994). Enhanced expression of the tie receptor tyrosine kinase messenger RNA in the vascular endothelium of metastatic melanomas. *Cancer Res* 54, 6571-6577.

14. Fujikawa, K., Presman, E., Isner, J. M., and Varticovski, L. (1999). Expression of tie1 and tie2 proteins during reendothelialization in balloon-injured rat carotid artery. *J Vasc Res* *36*, 272-281.
15. Lin, W. C., Li, A. F., Chi, C. W., Chung, W. W., Huang, C. L., Lui, W. Y., Kung, H. J., and Wu, C. W. (1999). tie-1 protein tyrosine kinase: a novel independent prognostic marker for gastric cancer. *Clin Cancer Res* *5*, 1745-1751.
16. Cance, W. G., Craven, R. J., Weiner, T. M., and Liu, E. T. (1993). Novel protein kinases expressed in human breast cancer. *Int J Cancer* *54*, 571-577.
17. Tseng, L. M., Hsu, C. Y., Wang, H. C., Liu, J. M., Chang, H. M., Lo, S. S., Wu, C. W., Lui, W. Y., and Chi, C. W. (2001). Tie-1 tyrosine kinase is an independent prognostic indicator for invasive breast cancer. *Anticancer Res* *21*, 2163-2170.
18. Yang, X. H., Hand, R. A., Livasy, C. A., Cance, W. G., and Craven, R. J. (2003). Overexpression of the receptor tyrosine kinase Tie-1 intracellular domain in breast cancer. *Tumour Biol* *24*, 61-69.
19. Uruno, A., Sugawara, A., Kanatsuka, H., Arima, S., Taniyama, Y., Kudo, M., Takeuchi, K., and Ito, S. (2004). Hepatocyte growth factor stimulates nitric oxide production through endothelial nitric oxide synthase activation by the phosphoinositide 3-kinase/Akt pathway and possibly by mitogen-activated protein kinase kinase in vascular endothelial cells. *Hypertens Res* *27*, 887-895.
20. Ito, Y., Yoshida, H., Uruno, T., Nakano, K., Takamura, Y., Miya, A., Kobayashi, K., Yokozawa, T., Matsuzuka, F., Kuma, K., and Miyauchi, A. (2004). Tie-1 tyrosine kinase expression in human thyroid neoplasms. *Histopathology* *44*, 318-322.

21. Rees, K. A., Singh, H., and Brindle, N. P. (2007). The receptor tyrosine kinase Tie1 is expressed and activated in epithelial tumour cell lines. *Int J Oncol* *31*, 893-897.
22. Tsiamis, A. C., Hayes, P., Box, H., Goodall, A. H., Bell, P. R., and Brindle, N. P. (2000). Characterization and regulation of the receptor tyrosine kinase Tie-1 in platelets. *J Vasc Res* *37*, 437-442.
23. Macdonald, P. R., Progias, P., Ciani, B., Patel, S., Mayer, U., Steinmetz, M. O., and Kammerer, R. A. (2006). Structure of the extracellular domain of Tie receptor tyrosine kinases and localization of the angiopoietin-binding epitope. *J Biol Chem* *281*, 28408-28414.
24. Sato, T. N., Qin, Y., Kozak, C. A., and Audus, K. L. (1993). Tie-1 and tie-2 define another class of putative receptor tyrosine kinase genes expressed in early embryonic vascular system. *Proc Natl Acad Sci U S A* *90*, 9355-9358.
25. Dumont, D. J., Yamaguchi, T. P., Conlon, R. A., Rossant, J., and Breitman, M. L. (1992). tek, a novel tyrosine kinase gene located on mouse chromosome 4, is expressed in endothelial cells and their presumptive precursors. *Oncogene* *7*, 1471-1480.
26. Davis, S., Aldrich, T. H., Jones, P. F., Acheson, A., Compton, D. L., Jain, V., Ryan, T. E., Bruno, J., Radziejewski, C., Maisonpierre, P. C., and Yancopoulos, G. D. (1996). Isolation of angiopoietin-1, a ligand for the TIE2 receptor, by secretion-trap expression cloning. *Cell* *87*, 1161-1169.
27. Maisonpierre, P. C., Suri, C., Jones, P. F., Bartunkova, S., Wiegand, S. J., Radziejewski, C., Compton, D., McClain, J., Aldrich, T. H., Papadopoulos, N.,

- Daly, T. J., Davis, S., Sato, T. N., and Yancopoulos, G. D. (1997). Angiopoietin-2, a natural antagonist for Tie2 that disrupts in vivo angiogenesis. *Science* 277, 55-60.
28. Valenzuela, D. M., Griffiths, J. A., Rojas, J., Aldrich, T. H., Jones, P. F., Zhou, H., McClain, J., Copeland, N. G., Gilbert, D. J., Jenkins, N. A., Huang, T., Papadopoulos, N., Maisonnierre, P. C., Davis, S., and Yancopoulos, G. D. (1999). Angiopoietins 3 and 4: diverging gene counterparts in mice and humans. *Proc Natl Acad Sci U S A* 96, 1904-1909.
29. Marron, M. B., Hughes, D. P., Edge, M. D., Forder, C. L., and Brindle, N. P. (2000). Evidence for heterotypic interaction between the receptor tyrosine kinases TIE-1 and TIE-2. *J Biol Chem* 275, 39741-39746.
30. Marron, M. B., Hughes, D. P., McCarthy, M. J., Beaumont, E. R., and Brindle, N. P. (2000). Tie-1 receptor tyrosine kinase endodomain interaction with SHP2: potential signalling mechanisms and roles in angiogenesis. *Adv Exp Med Biol* 476, 35-46.
31. Kontos, C. D., Cha, E. H., York, J. D., and Peters, K. G. (2002). The endothelial receptor tyrosine kinase Tie1 activates phosphatidylinositol 3-kinase and Akt to inhibit apoptosis. *Mol Cell Biol* 22, 1704-1713.
32. Prenzel, N., Zwick, E., Daub, H., Leserer, M., Abraham, R., Wallasch, C., and Ullrich, A. (1999). EGF receptor transactivation by G-protein-coupled receptors requires metalloproteinase cleavage of proHB-EGF. *Nature* 402, 884-888.

33. Nemoto, E., Kanaya, S., Minamibuchi, M., and Shimauchi, H. (2005). Cleavage of PDGF receptor on periodontal ligament cells by elastase. *J Dent Res* 84, 629-633.
34. Vecchi, M., Baulida, J., and Carpenter, G. (1996). Selective cleavage of the heregulin receptor ErbB-4 by protein kinase C activation. *J Biol Chem* 271, 18989-18995.
35. Chantry, A. (1995). The kinase domain and membrane localization determine intracellular interactions between epidermal growth factor receptors. *J Biol Chem* 270, 3068-3073.
36. Yabkowitz, R., Meyer, S., Yanagihara, D., Brankow, D., Staley, T., Elliott, G., Hu, S., and Ratzkin, B. (1997). Regulation of tie receptor expression on human endothelial cells by protein kinase C-mediated release of soluble tie. *Blood* 90, 706-715.
37. Tsiamis, A. C., Morris, P. N., Marron, M. B., and Brindle, N. P. (2002). Vascular endothelial growth factor modulates the Tie-2:Tie-1 receptor complex. *Microvasc Res* 63, 149-158.
38. Yabkowitz, R., Meyer, S., Black, T., Elliott, G., Merewether, L. A., and Yamane, H. K. (1999). Inflammatory cytokines and vascular endothelial growth factor stimulate the release of soluble tie receptor from human endothelial cells via metalloprotease activation. *Blood* 93, 1969-1979.
39. Marron, M. B., Singh, H., Tahir, T. A., Kavumkal, J., Kim, H. Z., Koh, G. Y., and Brindle, N. P. (2007). Regulated proteolytic processing of Tie1 modulates ligand

- responsiveness of the receptor-tyrosine kinase Tie2. *J Biol Chem* 282, 30509-30517.
40. Singh, H., Milner, C. S., Aguilar Hernandez, M. M., Patel, N., and Brindle, N. P. (2009). Vascular endothelial growth factor activates the Tie family of receptor tyrosine kinases. *Cell Signal* 21, 1346-1350.
41. Saharinen, P., Kerkela, K., Ekman, N., Marron, M., Brindle, N., Lee, G. M., Augustin, H., Koh, G. Y., and Alitalo, K. (2005). Multiple angiopoietin recombinant proteins activate the Tie1 receptor tyrosine kinase and promote its interaction with Tie2. *J Cell Biol* 169, 239-243.
42. Yuan, H. T., Venkatesha, S., Chan, B., Deutsch, U., Mammoto, T., Sukhatme, V. P., Woolf, A. S., and Karumanchi, S. A. (2007). Activation of the orphan endothelial receptor Tie1 modifies Tie2-mediated intracellular signaling and cell survival. *Faseb J* 21, 3171-3183.
43. Kim, K. L., Shin, I. S., Kim, J. M., Choi, J. H., Byun, J., Jeon, E. S., Suh, W., and Kim, D. K. (2006). Interaction between Tie receptors modulates angiogenic activity of angiopoietin2 in endothelial progenitor cells. *Cardiovasc Res* 72, 394-402.
44. Kwak, H. J., So, J. N., Lee, S. J., Kim, I., and Koh, G. Y. (1999). Angiopoietin-1 is an apoptosis survival factor for endothelial cells. *FEBS Lett* 448, 249-253.
45. Papapetropoulos, A., Fulton, D., Mahboubi, K., Kalb, R. G., O'Connor, D. S., Li, F., Altieri, D. C., and Sessa, W. C. (2000). Angiopoietin-1 inhibits endothelial cell apoptosis via the Akt/survivin pathway. *J Biol Chem* 275, 9102-9105.

46. Harfouche, R., Hassessian, H. M., Guo, Y., Faivre, V., Srikant, C. B., Yancopoulos, G. D., and Hussain, S. N. (2002). Mechanisms which mediate the antiapoptotic effects of angiopoietin-1 on endothelial cells. *Microvasc Res* *64*, 135-147.
47. Chan, B., Yuan, H. T., Ananth Karumanchi, S., and Sukhatme, V. P. (2008). Receptor tyrosine kinase Tie-1 overexpression in endothelial cells upregulates adhesion molecules. *Biochem Biophys Res Commun* *371*, 475-479.
48. Chan, B., and Sukhatme, V. P. (2009). Suppression of Tie-1 in endothelial cells in vitro induces a change in the genome-wide expression profile reflecting an inflammatory function. *FEBS Lett* *583*, 1023-1028.
49. Dewey, C. F., Jr., Bussolari, S. R., Gimbrone, M. A., Jr., and Davies, P. F. (1981). The dynamic response of vascular endothelial cells to fluid shear stress. *J Biomech Eng* *103*, 177-185.
50. Levesque, M. J., and Nerem, R. M. (1985). The elongation and orientation of cultured endothelial cells in response to shear stress. *J Biomech Eng* *107*, 341-347.
51. Ives, C. L., Eskin, S. G., and McIntire, L. V. (1986). Mechanical effects on endothelial cell morphology: in vitro assessment. *In Vitro Cell Dev Biol* *22*, 500-507.
52. Levesque, M. J., Liepsch, D., Moravec, S., and Nerem, R. M. (1986). Correlation of endothelial cell shape and wall shear stress in a stenosed dog aorta. *Arteriosclerosis* *6*, 220-229.

53. White, C. R., and Frangos, J. A. (2007). The shear stress of it all: the cell membrane and mechanochemical transduction. *Philos Trans R Soc Lond B Biol Sci* *362*, 1459-1467.
54. Malek, A. M., Alper, S. L., and Izumo, S. (1999). Hemodynamic shear stress and its role in atherosclerosis. *Jama* *282*, 2035-2042.
55. Westerhof, N., Stergiopoulos, N., and Noble, M. I. M. (2005) *Snapshots of hemodynamics : an aid for clinical research and graduate education*, Springer, New York, NY.
56. Asakura, T., and Karino, T. (1990). Flow patterns and spatial distribution of atherosclerotic lesions in human coronary arteries. *Circ Res* *66*, 1045-1066.
57. Chiu, J. J., Wang, D. L., Chien, S., Skalak, R., and Usami, S. (1998). Effects of disturbed flow on endothelial cells. *J Biomech Eng* *120*, 2-8.
58. Davies, P. F., Polacek, D. C., Handen, J. S., Helmke, B. P., and DePaola, N. (1999). A spatial approach to transcriptional profiling: mechanotransduction and the focal origin of atherosclerosis. *Trends Biotechnol* *17*, 347-351.
59. Gimbrone, M. A., Jr., Topper, J. N., Nagel, T., Anderson, K. R., and Garcia-Cardena, G. (2000). Endothelial dysfunction, hemodynamic forces, and atherogenesis. *Ann N Y Acad Sci* *902*, 230-239; discussion 239-240.
60. Chien, S. (2003). Molecular and mechanical bases of focal lipid accumulation in arterial wall. *Prog Biophys Mol Biol* *83*, 131-151.
61. Li, Y. S., Haga, J. H., and Chien, S. (2005). Molecular basis of the effects of shear stress on vascular endothelial cells. *J Biomech* *38*, 1949-1971.

62. Chien, S. (2008). Role of shear stress direction in endothelial mechanotransduction. *Mol Cell Biomech* 5, 1-8.
63. Motomiya, M., and Karino, T. (1984). Flow patterns in the human carotid artery bifurcation. *Stroke* 15, 50-56.
64. Fukushima, T., Homma, T., Harakawa, K., Sakata, N., and Azuma, T. (1988). Vortex generation in pulsatile flow through arterial bifurcation models including the human carotid artery. *J Biomech Eng* 110, 166-171.
65. Peacock, J. A. (1990). An in vitro study of the onset of turbulence in the sinus of Valsalva. *Circ Res* 67, 448-460.
66. Davies, P. F. (1995). Flow-mediated endothelial mechanotransduction. *Physiol Rev* 75, 519-560.
67. Suo, J., Ferrara, D. E., Sorescu, D., Guldberg, R. E., Taylor, W. R., and Giddens, D. P. (2007). Hemodynamic shear stresses in mouse aortas: implications for atherogenesis. *Arterioscler Thromb Vasc Biol* 27, 346-351.
68. Truskey, G. A., Yuan, F., and Katz, D. F. (2009) *Transport phenomena in biological systems*, 2nd ed., Pearson Prentice Hall, Upper Saddle River, N.J.
69. Bussolari, S. R., Dewey, C. F., Jr., and Gimbrone, M. A., Jr. (1982). Apparatus for subjecting living cells to fluid shear stress. *Rev Sci Instrum* 53, 1851-1854.
70. Helmlinger, G., Geiger, R. V., Schreck, S., and Nerem, R. M. (1991). Effects of pulsatile flow on cultured vascular endothelial cell morphology. *J Biomech Eng* 113, 123-131.

71. Helmlinger, G., Berk, B. C., and Nerem, R. M. (1995). Calcium responses of endothelial cell monolayers subjected to pulsatile and steady laminar flow differ. *Am J Physiol* *269*, C367-375.
72. Tsao, P. S., Lewis, N. P., Alpert, S., and Cooke, J. P. (1995). Exposure to shear stress alters endothelial adhesiveness. Role of nitric oxide. *Circulation* *92*, 3513-3519.
73. Asada, H., Paszkowiak, J., Teso, D., Alvi, K., Thorisson, A., Frattini, J. C., Kudo, F. A., Sumpio, B. E., and Dardik, A. (2005). Sustained orbital shear stress stimulates smooth muscle cell proliferation via the extracellular signal-regulated protein kinase 1/2 pathway. *J Vasc Surg* *42*, 772-780.
74. Dardik, A., Chen, L., Frattini, J., Asada, H., Aziz, F., Kudo, F. A., and Sumpio, B. E. (2005). Differential effects of orbital and laminar shear stress on endothelial cells. *J Vasc Surg* *41*, 869-880.
75. Kudo, F. A., Warycha, B., Juran, P. J., Asada, H., Teso, D., Aziz, F., Frattini, J., Sumpio, B. E., Nishibe, T., Cha, C., and Dardik, A. (2005). Differential responsiveness of early- and late-passage endothelial cells to shear stress. *Am J Surg* *190*, 763-769.
76. Aromatario, C., Sterpetti, A. V., Palumbo, R., Patrizi, A. L., Di Carlo, A., Proietti, P., Guglielmi, M. B., Cavallaro, A., Santoro-D'Angelo, L., and Cucina, A. (1997). Fluid shear stress increases the release of platelet derived growth factor BB (PDGF BB) by aortic endothelial cells. *Minerva Cardioangiologica* *45*, 1-7.

77. Hu, Y., Bock, G., Wick, G., and Xu, Q. (1998). Activation of PDGF receptor alpha in vascular smooth muscle cells by mechanical stress. *Faseb J* 12, 1135-1142.
78. Sumpio, B. E., Du, W., Galagher, G., Wang, X., Khachigian, L. M., Collins, T., Gimbrone, M. A., Jr., and Resnick, N. (1998). Regulation of PDGF-B in endothelial cells exposed to cyclic strain. *Arterioscler Thromb Vasc Biol* 18, 349-355.
79. Bao, X., Lu, C., and Frangos, J. A. (1999). Temporal gradient in shear but not steady shear stress induces PDGF-A and MCP-1 expression in endothelial cells: role of NO, NF kappa B, and egr-1. *Arterioscler Thromb Vasc Biol* 19, 996-1003.
80. Chen-Konak, L., Guetta-Shubin, Y., Yahav, H., Shay-Salit, A., Zilberman, M., Binah, O., and Resnick, N. (2003). Transcriptional and post-translation regulation of the Tie1 receptor by fluid shear stress changes in vascular endothelial cells. *Faseb J* 17, 2121-2123.
81. Sorescu, G. P., Sykes, M., Weiss, D., Platt, M. O., Saha, A., Hwang, J., Boyd, N., Boo, Y. C., Vega, J. D., Taylor, W. R., and Jo, H. (2003). Bone morphogenic protein 4 produced in endothelial cells by oscillatory shear stress stimulates an inflammatory response. *J Biol Chem* 278, 31128-31135.
82. Papaioannou, T. G., Karatzis, E. N., Vavuranakis, M., Lekakis, J. P., and Stefanadis, C. (2006). Assessment of vascular wall shear stress and implications for atherosclerotic disease. *Int J Cardiol* 113, 12-18.
83. Davies, P. F. (2009). Hemodynamic shear stress and the endothelium in cardiovascular pathophysiology. *Nat Clin Pract Cardiovasc Med* 6, 16-26.

84. Gimbrone, M. A., Jr., Nagel, T., and Topper, J. N. (1997). Biomechanical activation: an emerging paradigm in endothelial adhesion biology. *J Clin Invest* *100*, S61-65.
85. Gimbrone, M. A., Jr., Anderson, K. R., Topper, J. N., Langille, B. L., Clowes, A. W., Bercel, S., Davies, M. G., Stenmark, K. R., Frid, M. G., Weiser-Evans, M. C., Aldashev, A. A., Nemenoff, R. A., Majesky, M. W., Landerholm, T. E., Lu, J., Ito, W. D., Arras, M., Scholz, D., Imhof, B., Aurrand-Lions, M., Schaper, W., Nagel, T. E., Resnick, N., Dewey, C. F., Gimbrone, M. A., and Davies, P. F. (1999). Special communicationthe critical role of mechanical forces in blood vessel development, physiology and pathology. *J Vasc Surg* *29*, 1104-1151.
86. Sato, M., Levesque, M. J., and Nerem, R. M. (1987). Micropipette aspiration of cultured bovine aortic endothelial cells exposed to shear stress. *Arteriosclerosis* *7*, 276-286.
87. Barbee, K. A., Davies, P. F., and Lal, R. (1994). Shear stress-induced reorganization of the surface topography of living endothelial cells imaged by atomic force microscopy. *Circ Res* *74*, 163-171.
88. Barbee, K. A., Mundel, T., Lal, R., and Davies, P. F. (1995). Subcellular distribution of shear stress at the surface of flow-aligned and nonaligned endothelial monolayers. *Am J Physiol* *268*, H1765-1772.
89. Levesque, M. J., Nerem, R. M., and Sprague, E. A. (1990). Vascular endothelial cell proliferation in culture and the influence of flow. *Biomaterials* *11*, 702-707.

90. DePaola, N., Gimbrone, M. A., Jr., Davies, P. F., and Dewey, C. F., Jr. (1992). Vascular endothelium responds to fluid shear stress gradients. *Arterioscler Thromb* 12, 1254-1257.
91. Dimmeler, S., Haendeler, J., Rippmann, V., Nehls, M., and Zeiher, A. M. (1996). Shear stress inhibits apoptosis of human endothelial cells. *FEBS Lett* 399, 71-74.
92. Ku, D. N., Giddens, D. P., Zarins, C. K., and Glagov, S. (1985). Pulsatile flow and atherosclerosis in the human carotid bifurcation. Positive correlation between plaque location and low oscillating shear stress. *Arteriosclerosis* 5, 293-302.
93. Newman, D. L., Batten, J. R., and Bowden, N. L. (1977). Influence of experimental stenosis on uptake of albumin by the abdominal aorta. *Atherosclerosis* 26, 195-204.
94. Bjorkerud, S., and Bondjers, G. (1972). Endothelial integrity and viability in the aorta of the normal rabbit and rat as evaluated with dye exclusion tests and interference contrast microscopy. *Atherosclerosis* 15, 285-300.
95. Gutstein, W. H., Farrell, G. A., and Armellini, C. (1973). Blood flow disturbance and endothelial cell injury in preatherosclerotic swine. *Lab Invest* 29, 134-149.
96. Walpolo, P. L., Gotlieb, A. I., and Langille, B. L. (1993). Monocyte adhesion and changes in endothelial cell number, morphology, and F-actin distribution elicited by low shear stress in vivo. *Am J Pathol* 142, 1392-1400.
97. Walpolo, P. L., Gotlieb, A. I., Cybulsky, M. I., and Langille, B. L. (1995). Expression of ICAM-1 and VCAM-1 and monocyte adherence in arteries exposed to altered shear stress. *Arterioscler Thromb Vasc Biol* 15, 2-10.

98. Mondy, J. S., Lindner, V., Miyashiro, J. K., Berk, B. C., Dean, R. H., and Geary, R. L. (1997). Platelet-derived growth factor ligand and receptor expression in response to altered blood flow in vivo. *Circ Res* 81, 320-327.
99. Rittgers, S. E., Karayannacos, P. E., Guy, J. F., Nerem, R. M., Shaw, G. M., Hostetler, J. R., and Vasko, J. S. (1978). Velocity distribution and intimal proliferation in autologous vein grafts in dogs. *Circ Res* 42, 792-801.
100. Osawa, M., Masuda, M., Kusano, K., and Fujiwara, K. (2002). Evidence for a role of platelet endothelial cell adhesion molecule-1 in endothelial cell mechanosignal transduction: is it a mechanoresponsive molecule? *J Cell Biol* 158, 773-785.
101. Chen, K. D., Li, Y. S., Kim, M., Li, S., Yuan, S., Chien, S., and Shyy, J. Y. (1999). Mechanotransduction in response to shear stress. Roles of receptor tyrosine kinases, integrins, and Shc. *J Biol Chem* 274, 18393-18400.
102. Lee, H. J., and Koh, G. Y. (2003). Shear stress activates Tie2 receptor tyrosine kinase in human endothelial cells. *Biochem Biophys Res Commun* 304, 399-404.
103. Ohno, M., Gibbons, G. H., Dzau, V. J., and Cooke, J. P. (1993). Shear stress elevates endothelial cGMP. Role of a potassium channel and G protein coupling. *Circulation* 88, 193-197.
104. Bao, X., Lu, C., and Frangos, J. A. (2001). Mechanism of temporal gradients in shear-induced ERK1/2 activation and proliferation in endothelial cells. *Am J Physiol Heart Circ Physiol* 281, H22-29.
105. Gudi, S. R., Clark, C. B., and Frangos, J. A. (1996). Fluid flow rapidly activates G proteins in human endothelial cells. Involvement of G proteins in mechanochemical signal transduction. *Circ Res* 79, 834-839.

106. Gudi, S., Nolan, J. P., and Frangos, J. A. (1998). Modulation of GTPase activity of G proteins by fluid shear stress and phospholipid composition. *Proc Natl Acad Sci U S A* **95**, 2515-2519.
107. Harada, N., Masuda, M., and Fujiwara, K. (1995). Fluid flow and osmotic stress induce tyrosine phosphorylation of an endothelial cell 128 kDa surface glycoprotein. *Biochem Biophys Res Commun* **214**, 69-74.
108. Tzima, E., Irani-Tehrani, M., Kiosses, W. B., Dejana, E., Schultz, D. A., Engelhardt, B., Cao, G., DeLisser, H., and Schwartz, M. A. (2005). A mechanosensory complex that mediates the endothelial cell response to fluid shear stress. *Nature* **437**, 426-431.
109. Otte, L. A., Bell, K. S., Loufrani, L., Yeh, J. C., Melchior, B., Dao, D. N., Stevens, H. Y., White, C. R., and Frangos, J. A. (2009). Rapid changes in shear stress induce dissociation of a G alpha(q/11)-platelet endothelial cell adhesion molecule-1 complex. *J Physiol* **587**, 2365-2373.
110. Schwartz, M. A., and Ginsberg, M. H. (2002). Networks and crosstalk: integrin signalling spreads. *Nat Cell Biol* **4**, E65-68.
111. Schwartz, M. A., Schaller, M. D., and Ginsberg, M. H. (1995). Integrins: emerging paradigms of signal transduction. *Annu Rev Cell Dev Biol* **11**, 549-599.
112. Tzima, E., del Pozo, M. A., Shattil, S. J., Chien, S., and Schwartz, M. A. (2001). Activation of integrins in endothelial cells by fluid shear stress mediates Rho-dependent cytoskeletal alignment. *Embo J* **20**, 4639-4647.

113. Wang, Y., Miao, H., Li, S., Chen, K. D., Li, Y. S., Yuan, S., Shyy, J. Y., and Chien, S. (2002). Interplay between integrins and FLK-1 in shear stress-induced signaling. *Am J Physiol Cell Physiol* 283, C1540-1547.
114. Helmlinger, G., Berk, B. C., and Nerem, R. M. (1996). Pulsatile and steady flow-induced calcium oscillations in single cultured endothelial cells. *J Vasc Res* 33, 360-369.
115. Yamamoto, K., Korenaga, R., Kamiya, A., and Ando, J. (2000). Fluid shear stress activates Ca(2+) influx into human endothelial cells via P2X4 purinoceptors. *Circ Res* 87, 385-391.
116. Yamamoto, K., Korenaga, R., Kamiya, A., Qi, Z., Sokabe, M., and Ando, J. (2000). P2X(4) receptors mediate ATP-induced calcium influx in human vascular endothelial cells. *Am J Physiol Heart Circ Physiol* 279, H285-292.
117. Ando, J., Komatsuda, T., and Kamiya, A. (1988). Cytoplasmic calcium response to fluid shear stress in cultured vascular endothelial cells. *In Vitro Cell Dev Biol* 24, 871-877.
118. Yamamoto, K., Sokabe, T., Matsumoto, T., Yoshimura, K., Shibata, M., Ohura, N., Fukuda, T., Sato, T., Sekine, K., Kato, S., Isshiki, M., Fujita, T., Kobayashi, M., Kawamura, K., Masuda, H., Kamiya, A., and Ando, J. (2006). Impaired flow-dependent control of vascular tone and remodeling in P2X4-deficient mice. *Nat Med* 12, 133-137.
119. Shay-Salit, A., Shushy, M., Wolfowitz, E., Yahav, H., Breviario, F., Dejana, E., and Resnick, N. (2002). VEGF receptor 2 and the adherens junction as a

- mechanical transducer in vascular endothelial cells. *Proc Natl Acad Sci U S A* **99**, 9462-9467.
120. Jin, Z. G., Ueba, H., Tanimoto, T., Lungu, A. O., Frame, M. D., and Berk, B. C. (2003). Ligand-independent activation of vascular endothelial growth factor receptor 2 by fluid shear stress regulates activation of endothelial nitric oxide synthase. *Circ Res* **93**, 354-363.
121. Bojanowski, K., Maniotis, A. J., Plisov, S., Larsen, A. K., and Ingber, D. E. (1998). DNA topoisomerase II can drive changes in higher order chromosome architecture without enzymatically modifying DNA. *J Cell Biochem* **69**, 127-142.
122. Ingber, D. (1998). In search of cellular control: signal transduction in context. *J Cell Biochem Suppl* **30-31**, 232-237.
123. Knudsen, H. L., and Frangos, J. A. (1997). Role of cytoskeleton in shear stress-induced endothelial nitric oxide production. *Am J Physiol* **273**, H347-355.
124. Imberti, B., Morigi, M., Zoja, C., Angioletti, S., Abbate, M., Remuzzi, A., and Remuzzi, G. (2000). Shear stress-induced cytoskeleton rearrangement mediates NF-kappaB-dependent endothelial expression of ICAM-1. *Microvasc Res* **60**, 182-188.
125. Helmke, B. P., Goldman, R. D., and Davies, P. F. (2000). Rapid displacement of vimentin intermediate filaments in living endothelial cells exposed to flow. *Circ Res* **86**, 745-752.
126. Bystrevskaya, V. B., Lichkun, V. V., Antonov, A. S., and Perov, N. A. (1988). An ultrastructural study of centriolar complexes in adult and embryonic human aortic endothelial cells. *Tissue Cell* **20**, 493-503.

127. Iomini, C., Tejada, K., Mo, W., Vaananen, H., and Piperno, G. (2004). Primary cilia of human endothelial cells disassemble under laminar shear stress. *J Cell Biol* *164*, 811-817.
128. Hierck, B. P., Van der Heiden, K., Alkemade, F. E., Van de Pas, S., Van Thienen, J. V., Groenendijk, B. C., Bax, W. H., Van der Laarse, A., Deruiter, M. C., Horrevoets, A. J., and Poelmann, R. E. (2008). Primary cilia sensitize endothelial cells for fluid shear stress. *Dev Dyn* *237*, 725-735.
129. Porat, R. M., Grunewald, M., Globerman, A., Itin, A., Barshtein, G., Alhonen, L., Alitalo, K., and Keshet, E. (2004). Specific induction of tie1 promoter by disturbed flow in atherosclerosis-prone vascular niches and flow-obstructing pathologies. *Circ Res* *94*, 394-401.
130. Resnick, N., Collins, T., Atkinson, W., Bonthron, D. T., Dewey, C. F., Jr., and Gimbron, M. A., Jr. (1993). Platelet-derived growth factor B chain promoter contains a cis-acting fluid shear-stress-responsive element. *Proc Natl Acad Sci U S A* *90*, 7908.
131. Khachigian, L. M., Resnick, N., Gimbrone, M. A., Jr., and Collins, T. (1995). Nuclear factor-kappa B interacts functionally with the platelet-derived growth factor B-chain shear-stress response element in vascular endothelial cells exposed to fluid shear stress. *J Clin Invest* *96*, 1169-1175.
132. Shyy, J. Y., Lin, M. C., Han, J., Lu, Y., Petrone, M., and Chien, S. (1995). The cis-acting phorbol ester "12-O-tetradecanoylphorbol 13-acetate"-responsive element is involved in shear stress-induced monocyte chemotactic protein 1 gene expression. *Proc Natl Acad Sci U S A* *92*, 8069-8073.

133. Khachigian, L. M., Anderson, K. R., Halnon, N. J., Gimbrone, M. A., Jr., Resnick, N., and Collins, T. (1997). Egr-1 is activated in endothelial cells exposed to fluid shear stress and interacts with a novel shear-stress-response element in the PDGF A-chain promoter. *Arterioscler Thromb Vasc Biol* *17*, 2280-2286.
134. Lin, M. C., Almus-Jacobs, F., Chen, H. H., Parry, G. C., Mackman, N., Shyy, J. Y., and Chien, S. (1997). Shear stress induction of the tissue factor gene. *J Clin Invest* *99*, 737-744.
135. Houston, P., Dickson, M. C., Ludbrook, V., White, B., Schwachtgen, J. L., McVey, J. H., Mackman, N., Reese, J. M., Gorman, D. G., Campbell, C., and Braddock, M. (1999). Fluid shear stress induction of the tissue factor promoter in vitro and in vivo is mediated by Egr-1. *Arterioscler Thromb Vasc Biol* *19*, 281-289.
136. Korenaga, R., Ando, J., Kosaki, K., Isshiki, M., Takada, Y., and Kamiya, A. (1997). Negative transcriptional regulation of the VCAM-1 gene by fluid shear stress in murine endothelial cells. *Am J Physiol* *273*, C1506-1515.
137. Korenaga, R., Yamamoto, K., Ohura, N., Sokabe, T., Kamiya, A., and Ando, J. (2001). Sp1-mediated downregulation of P2X4 receptor gene transcription in endothelial cells exposed to shear stress. *Am J Physiol Heart Circ Physiol* *280*, H2214-2221.
138. Robinson, M. J., and Cobb, M. H. (1997). Mitogen-activated protein kinase pathways. *Curr Opin Cell Biol* *9*, 180-186.

139. Garcia-Cardena, G., Anderson, K. R., Mauri, L., and Gimbrone, M. A., Jr. (2000). Distinct mechanical stimuli differentially regulate the PI3K/Akt survival pathway in endothelial cells. *Ann N Y Acad Sci* *902*, 294-297.
140. Li, Y. S., Shyy, J. Y., Li, S., Lee, J., Su, B., Karin, M., and Chien, S. (1996). The Ras-JNK pathway is involved in shear-induced gene expression. *Mol Cell Biol* *16*, 5947-5954.
141. Surapisitchat, J., Hoefen, R. J., Pi, X., Yoshizumi, M., Yan, C., and Berk, B. C. (2001). Fluid shear stress inhibits TNF-alpha activation of JNK but not ERK1/2 or p38 in human umbilical vein endothelial cells: Inhibitory crosstalk among MAPK family members. *Proc Natl Acad Sci U S A* *98*, 6476-6481.
142. Dimmeler, S., Assmus, B., Hermann, C., Haendeler, J., and Zeiher, A. M. (1998). Fluid shear stress stimulates phosphorylation of Akt in human endothelial cells: involvement in suppression of apoptosis. *Circ Res* *83*, 334-341.
143. Kim, I., Kim, H. G., So, J. N., Kim, J. H., Kwak, H. J., and Koh, G. Y. (2000). Angiopoietin-1 regulates endothelial cell survival through the phosphatidylinositol 3'-Kinase/Akt signal transduction pathway. *Circ Res* *86*, 24-29.
144. Datta, S. R., Dudek, H., Tao, X., Masters, S., Fu, H., Gotoh, Y., and Greenberg, M. E. (1997). Akt phosphorylation of BAD couples survival signals to the cell-intrinsic death machinery. *Cell* *91*, 231-241.
145. Cardone, M. H., Roy, N., Stennicke, H. R., Salvesen, G. S., Franke, T. F., Stanbridge, E., Frisch, S., and Reed, J. C. (1998). Regulation of cell death protease caspase-9 by phosphorylation. *Science* *282*, 1318-1321.

146. Hayden, M. S., and Ghosh, S. (2004). Signaling to NF-kappaB. *Genes Dev* *18*, 2195-2224.
147. Mohan, S., Mohan, N., and Sprague, E. A. (1997). Differential activation of NF-kappa B in human aortic endothelial cells conditioned to specific flow environments. *Am J Physiol* *273*, C572-578.
148. Nagel, T., Resnick, N., Dewey, C. F., Jr., and Gimbrone, M. A., Jr. (1999). Vascular endothelial cells respond to spatial gradients in fluid shear stress by enhanced activation of transcription factors. *Arterioscler Thromb Vasc Biol* *19*, 1825-1834.
149. Shyy, Y. J., Hsieh, H. J., Usami, S., and Chien, S. (1994). Fluid shear stress induces a biphasic response of human monocyte chemotactic protein 1 gene expression in vascular endothelium. *Proc Natl Acad Sci U S A* *91*, 4678-4682.
150. Malek, A. M., Greene, A. L., and Izumo, S. (1993). Regulation of endothelin 1 gene by fluid shear stress is transcriptionally mediated and independent of protein kinase C and cAMP. *Proc Natl Acad Sci U S A* *90*, 5999-6003.
151. Monaco, C., and Paleolog, E. (2004). Nuclear factor kappaB: a potential therapeutic target in atherosclerosis and thrombosis. *Cardiovasc Res* *61*, 671-682.
152. Furchtgott, R. F., and Zawadzki, J. V. (1980). The obligatory role of endothelial cells in the relaxation of arterial smooth muscle by acetylcholine. *Nature* *288*, 373-376.
153. Rubanyi, G. M., Romero, J. C., and Vanhoutte, P. M. (1986). Flow-induced release of endothelium-derived relaxing factor. *Am J Physiol* *250*, H1145-1149.

154. Gryglewski, R. J., Palmer, R. M., and Moncada, S. (1986). Superoxide anion is involved in the breakdown of endothelium-derived vascular relaxing factor. *Nature* *320*, 454-456.
155. Rubanyi, G. M., and Vanhoutte, P. M. (1986). Superoxide anions and hyperoxia inactivate endothelium-derived relaxing factor. *Am J Physiol* *250*, H822-827.
156. Furchtgott, R. F., and Vanhoutte, P. M. (1989). Endothelium-derived relaxing and contracting factors. *Faseb J* *3*, 2007-2018.
157. Corson, M. A., James, N. L., Latta, S. E., Nerem, R. M., Berk, B. C., and Harrison, D. G. (1996). Phosphorylation of endothelial nitric oxide synthase in response to fluid shear stress. *Circ Res* *79*, 984-991.
158. Moncada, S. (2006). Adventures in vascular biology: a tale of two mediators. *Philos Trans R Soc Lond B Biol Sci* *361*, 735-759.
159. Awolesi, M. A., Widmann, M. D., Sessa, W. C., and Sumpio, B. E. (1994). Cyclic strain increases endothelial nitric oxide synthase activity. *Surgery* *116*, 439-444; discussion 444-435.
160. Tsao, P. S., Buitrago, R., Chan, J. R., and Cooke, J. P. (1996). Fluid flow inhibits endothelial adhesiveness. Nitric oxide and transcriptional regulation of VCAM-1. *Circulation* *94*, 1682-1689.
161. Dimmeler, S., Hermann, C., Galle, J., and Zeiher, A. M. (1999). Upregulation of superoxide dismutase and nitric oxide synthase mediates the apoptosis-suppressive effects of shear stress on endothelial cells. *Arterioscler Thromb Vasc Biol* *19*, 656-664.

162. Freedman, J. E., Sauter, R., Battinelli, E. M., Ault, K., Knowles, C., Huang, P. L., and Loscalzo, J. (1999). Deficient platelet-derived nitric oxide and enhanced hemostasis in mice lacking the NOSIII gene. *Circ Res* *84*, 1416-1421.
163. Kuhlencordt, P. J., Rosel, E., Gerszten, R. E., Morales-Ruiz, M., Dombkowski, D., Atkinson, W. J., Han, F., Preffer, F., Rosenzweig, A., Sessa, W. C., Gimbrone, M. A., Jr., Ertl, G., and Huang, P. L. (2004). Role of endothelial nitric oxide synthase in endothelial activation: insights from eNOS knockout endothelial cells. *Am J Physiol Cell Physiol* *286*, C1195-1202.
164. Casas, J. P., Bautista, L. E., Humphries, S. E., and Hingorani, A. D. (2004). Endothelial nitric oxide synthase genotype and ischemic heart disease: meta-analysis of 26 studies involving 23028 subjects. *Circulation* *109*, 1359-1365.
165. Green, D. J., Maiorana, A., O'Driscoll, G., and Taylor, R. (2004). Effect of exercise training on endothelium-derived nitric oxide function in humans. *J Physiol* *561*, 1-25.
166. Peng, H. B., Libby, P., and Liao, J. K. (1995). Induction and stabilization of I kappa B alpha by nitric oxide mediates inhibition of NF-kappa B. *J Biol Chem* *270*, 14214-14219.
167. Hajra, L., Evans, A. I., Chen, M., Hyduk, S. J., Collins, T., and Cybulsky, M. I. (2000). The NF-kappa B signal transduction pathway in aortic endothelial cells is primed for activation in regions predisposed to atherosclerotic lesion formation. *Proc Natl Acad Sci U S A* *97*, 9052-9057.

168. Davis, M. E., Cai, H., Drummond, G. R., and Harrison, D. G. (2001). Shear stress regulates endothelial nitric oxide synthase expression through c-Src by divergent signaling pathways. *Circ Res* 89, 1073-1080.
169. Davis, M. E., Grumbach, I. M., Fukai, T., Cutchins, A., and Harrison, D. G. (2004). Shear stress regulates endothelial nitric-oxide synthase promoter activity through nuclear factor kappaB binding. *J Biol Chem* 279, 163-168.
170. Kuchan, M. J., and Frangos, J. A. (1994). Role of calcium and calmodulin in flow-induced nitric oxide production in endothelial cells. *Am J Physiol* 266, C628-636.
171. Uematsu, M., Ohara, Y., Navas, J. P., Nishida, K., Murphy, T. J., Alexander, R. W., Nerem, R. M., and Harrison, D. G. (1995). Regulation of endothelial cell nitric oxide synthase mRNA expression by shear stress. *Am J Physiol* 269, C1371-1378.
172. Comander, J., Weber, G. M., Gimbrone, M. A., Jr., and Garcia-Cardena, G. (2001). Argus--a new database system for Web-based analysis of multiple microarray data sets. *Genome Res* 11, 1603-1610.
173. Garcia-Cardena, G., Comander, J., Anderson, K. R., Blackman, B. R., and Gimbrone, M. A., Jr. (2001). Biomechanical activation of vascular endothelium as a determinant of its functional phenotype. *Proc Natl Acad Sci U S A* 98, 4478-4485.
174. Garcia-Cardena, G., Comander, J. I., Blackman, B. R., Anderson, K. R., and Gimbrone, M. A. (2001). Mechanosensitive endothelial gene expression profiles:

- scripts for the role of hemodynamics in atherogenesis? Ann N Y Acad Sci 947, 1-6.
175. Ohura, N., Yamamoto, K., Ichioka, S., Sokabe, T., Nakatsuka, H., Baba, A., Shibata, M., Nakatsuka, T., Harii, K., Wada, Y., Kohro, T., Kodama, T., and Ando, J. (2003). Global analysis of shear stress-responsive genes in vascular endothelial cells. *J Atheroscler Thromb* 10, 304-313.
176. Heron, M., Hoyert, D. L., Murphy, S. L., Xu, J., Kochanek, K. D., and Tejada-Vera, B. (2009). Deaths: final data for 2006. *Natl Vital Stat Rep* 57, 1-134.
177. Ross, R. (1999). Atherosclerosis--an inflammatory disease. *N Engl J Med* 340, 115-126.
178. Tricot, O., Mallat, Z., Heymes, C., Belmin, J., Leseche, G., and Tedgui, A. (2000). Relation between endothelial cell apoptosis and blood flow direction in human atherosclerotic plaques. *Circulation* 101, 2450-2453.
179. Nakashima, Y., Fujii, H., Sumiyoshi, S., Wight, T. N., and Sueishi, K. (2007). Early human atherosclerosis: accumulation of lipid and proteoglycans in intimal thickenings followed by macrophage infiltration. *Arterioscler Thromb Vasc Biol* 27, 1159-1165.
180. Davies, M. J., Woolf, N., Rowles, P. M., and Pepper, J. (1988). Morphology of the endothelium over atherosclerotic plaques in human coronary arteries. *Br Heart J* 60, 459-464.
181. Kockx, M. M., De Meyer, G. R., Muhring, J., Jacob, W., Bult, H., and Herman, A. G. (1998). Apoptosis and related proteins in different stages of human atherosclerotic plaques. *Circulation* 97, 2307-2315.

182. Stary, H. C., Chandler, A. B., Dinsmore, R. E., Fuster, V., Glagov, S., Insull, W., Jr., Rosenfeld, M. E., Schwartz, C. J., Wagner, W. D., and Wissler, R. W. (1995). A definition of advanced types of atherosclerotic lesions and a histological classification of atherosclerosis. A report from the Committee on Vascular Lesions of the Council on Arteriosclerosis, American Heart Association. *Circulation* *92*, 1355-1374.
183. Moreno, P. R., Purushothaman, K. R., Fuster, V., Echeverri, D., Truszczynska, H., Sharma, S. K., Badimon, J. J., and O'Connor, W. N. (2004). Plaque neovascularization is increased in ruptured atherosclerotic lesions of human aorta: implications for plaque vulnerability. *Circulation* *110*, 2032-2038.
184. Kumar, V., Abbas, A. K., Fausto, N., Robbins, S. L., and Cotran, R. S. (2005) *Robbins and Cotran pathologic basis of disease*, 7th ed., Elsevier Saunders, Philadelphia.
185. Plump, A. S., Smith, J. D., Hayek, T., Aalto-Setala, K., Walsh, A., Verstuyft, J. G., Rubin, E. M., and Breslow, J. L. (1992). Severe hypercholesterolemia and atherosclerosis in apolipoprotein E-deficient mice created by homologous recombination in ES cells. *Cell* *71*, 343-353.
186. Zhang, S. H., Reddick, R. L., Piedrahita, J. A., and Maeda, N. (1992). Spontaneous hypercholesterolemia and arterial lesions in mice lacking apolipoprotein E. *Science* *258*, 468-471.
187. Mahley, R. W., and Huang, Y. (1999). Apolipoprotein E: from atherosclerosis to Alzheimer's disease and beyond. *Curr Opin Lipidol* *10*, 207-217.

188. Ghiselli, G., Schaefer, E. J., Gascon, P., and Breser, H. B., Jr. (1981). Type III hyperlipoproteinemia associated with apolipoprotein E deficiency. *Science* *214*, 1239-1241.
189. Nakashima, Y., Plump, A. S., Raines, E. W., Breslow, J. L., and Ross, R. (1994). ApoE-deficient mice develop lesions of all phases of atherosclerosis throughout the arterial tree. *Arterioscler Thromb* *14*, 133-140.
190. Reddick, R. L., Zhang, S. H., and Maeda, N. (1994). Atherosclerosis in mice lacking apo E. Evaluation of lesional development and progression. *Arterioscler Thromb* *14*, 141-147.
191. Fazio, S., and Linton, M. F. (2001). Mouse models of hyperlipidemia and atherosclerosis. *Front Biosci* *6*, D515-525.
192. Caro, C. G. (2009). Discovery of the role of wall shear in atherosclerosis. *Arterioscler Thromb Vasc Biol* *29*, 158-161.
193. McDonald, D. A. (1968). Hemodynamics. *Annu Rev Physiol* *30*, 525-556.
194. Flaherty, J. T., Pierce, J. E., Ferrans, V. J., Patel, D. J., Tucker, W. K., and Fry, D. L. (1972). Endothelial nuclear patterns in the canine arterial tree with particular reference to hemodynamic events. *Circ Res* *30*, 23-33.
195. Fry, D. L. (1969). Certain histological and chemical responses of the vascular interface to acutely induced mechanical stress in the aorta of the dog. *Circ Res* *24*, 93-108.
196. Texon, M. (1957). A hemodynamic concept of atherosclerosis, with particular reference to coronary occlusion. *AMA Arch Intern Med* *99*, 418-427.

197. Texon, M. (1960). The Hemodynamic Concept of Atherosclerosis. *Bull N Y Acad Med* 36, 263-274.
198. McDonald, D. (1955). The relation of pulsatile pressure to flow in arteries. *J Physiol* 127, 533-552.
199. Duguid, J. B., and Robertson, W. B. (1957). Mechanical factors in atherosclerosis. *Lancet* 272, 1205-1209.
200. Caro, C. G., Fitz-Gerald, J. M., and Schroter, R. C. (1969). Arterial wall shear and distribution of early atheroma in man. *Nature* 223, 1159-1160.
201. Caro, C. G., Fitz-Gerald, J. M., and Schroter, R. C. (1971). Atheroma and arterial wall shear. Observation, correlation and proposal of a shear dependent mass transfer mechanism for atherogenesis. *Proc R Soc Lond B Biol Sci* 177, 109-159.
202. Kjaernes, M., Svindland, A., Walloe, L., and Wille, S. O. (1981). Localization of early atherosclerotic lesions in an arterial bifurcation in humans. *Acta Pathol Microbiol Scand A* 89, 35-40.
203. Grottum, P., Svindland, A., and Walloe, L. (1983). Localization of atherosclerotic lesions in the bifurcation of the main left coronary artery. *Atherosclerosis* 47, 55-62.
204. Svindland, A. (1983). The localization of sudanophilic and fibrous plaques in the main left coronary bifurcation. *Atherosclerosis* 48, 139-145.
205. Friedman, M. H., Hutchins, G. M., Barger, C. B., Deters, O. J., and Mark, F. F. (1981). Correlation between intimal thickness and fluid shear in human arteries. *Atherosclerosis* 39, 425-436.

206. Zarins, C. K., Giddens, D. P., Bharadvaj, B. K., Sottiurai, V. S., Mabon, R. F., and Glagov, S. (1983). Carotid bifurcation atherosclerosis. Quantitative correlation of plaque localization with flow velocity profiles and wall shear stress. *Circ Res* 53, 502-514.
207. Caro, C. G., Fitz-Gerald, J. M., and Schroter, R. C. (1971). Proposal of a shear dependent mass transfer mechanism for atherogenesis. *Clin Sci* 40, 5P.
208. Fry, D. L. (1968). Acute vascular endothelial changes associated with increased blood velocity gradients. *Circ Res* 22, 165-197.
209. Wright, H. P. (1972). Mitosis patterns in aortic endothelium. *Atherosclerosis* 15, 93-100.
210. Nerem, R. M. (1992). Vascular fluid mechanics, the arterial wall, and atherosclerosis. *J Biomech Eng* 114, 274-282.
211. Wootton, D. M., and Ku, D. N. (1999). Fluid mechanics of vascular systems, diseases, and thrombosis. *Annu Rev Biomed Eng* 1, 299-329.
212. Chappell, D. C., Varner, S. E., Nerem, R. M., Medford, R. M., and Alexander, R. W. (1998). Oscillatory shear stress stimulates adhesion molecule expression in cultured human endothelium. *Circ Res* 82, 532-539.
213. Ziegler, T., Bouzourene, K., Harrison, V. J., Brunner, H. R., and Hayoz, D. (1998). Influence of oscillatory and unidirectional flow environments on the expression of endothelin and nitric oxide synthase in cultured endothelial cells. *Arterioscler Thromb Vasc Biol* 18, 686-692.
214. Nagel, T., Resnick, N., Atkinson, W. J., Dewey, C. F., Jr., and Gimbrone, M. A., Jr. (1994). Shear stress selectively upregulates intercellular adhesion molecule-1

- expression in cultured human vascular endothelial cells. *J Clin Invest* 94, 885-891.
215. Morigi, M., Zoja, C., Figliuzzi, M., Foppolo, M., Micheletti, G., Bontempelli, M., Saronni, M., Remuzzi, G., and Remuzzi, A. (1995). Fluid shear stress modulates surface expression of adhesion molecules by endothelial cells. *Blood* 85, 1696-1703.
216. Ohtsuka, A., Ando, J., Korenaga, R., Kamiya, A., Toyama-Sorimachi, N., and Miyasaka, M. (1993). The effect of flow on the expression of vascular adhesion molecule-1 by cultured mouse endothelial cells. *Biochem Biophys Res Commun* 193, 303-310.
217. Iiyama, K., Hajra, L., Iiyama, M., Li, H., DiChiara, M., Medoff, B. D., and Cybulsky, M. I. (1999). Patterns of vascular cell adhesion molecule-1 and intercellular adhesion molecule-1 expression in rabbit and mouse atherosclerotic lesions and at sites predisposed to lesion formation. *Circ Res* 85, 199-207.
218. Hsiai, T. K., Cho, S. K., Wong, P. K., Ing, M., Salazar, A., Sevanian, A., Navab, M., Demer, L. L., and Ho, C. M. (2003). Monocyte recruitment to endothelial cells in response to oscillatory shear stress. *Faseb J* 17, 1648-1657.
219. Malinauskas, R. A., Herrmann, R. A., and Truskey, G. A. (1995). The distribution of intimal white blood cells in the normal rabbit aorta. *Atherosclerosis* 115, 147-163.
220. Glagov, S., Zarins, C., Giddens, D. P., and Ku, D. N. (1988). Hemodynamics and atherosclerosis. Insights and perspectives gained from studies of human arteries. *Arch Pathol Lab Med* 112, 1018-1031.

221. Zhu, C. H., Ying, D. J., Mi, J. H., Zhu, X. H., Sun, J. S., and Cui, X. P. (2004). Low shear stress regulates monocyte adhesion to oxidized lipid-induced endothelial cells via an IkappaBalpha dependent pathway. *Biorheology* *41*, 127-137.
222. McNally, J. S., Davis, M. E., Giddens, D. P., Saha, A., Hwang, J., Dikalov, S., Jo, H., and Harrison, D. G. (2003). Role of xanthine oxidoreductase and NAD(P)H oxidase in endothelial superoxide production in response to oscillatory shear stress. *Am J Physiol Heart Circ Physiol* *285*, H2290-2297.
223. Brooks, A. R., Lelkes, P. I., and Rubanyi, G. M. (2002). Gene expression profiling of human aortic endothelial cells exposed to disturbed flow and steady laminar flow. *Physiol Genomics* *9*, 27-41.
224. Dekker, R. J., van Soest, S., Fontijn, R. D., Salamanca, S., de Groot, P. G., VanBavel, E., Pannekoek, H., and Horrevoets, A. J. (2002). Prolonged fluid shear stress induces a distinct set of endothelial cell genes, most specifically lung Kruppel-like factor (KLF2). *Blood* *100*, 1689-1698.
225. Wang, N., Miao, H., Li, Y. S., Zhang, P., Haga, J. H., Hu, Y., Young, A., Yuan, S., Nguyen, P., Wu, C. C., and Chien, S. (2006). Shear stress regulation of Kruppel-like factor 2 expression is flow pattern-specific. *Biochem Biophys Res Commun* *341*, 1244-1251.
226. Parmar, K. M., Larman, H. B., Dai, G., Zhang, Y., Wang, E. T., Moorthy, S. N., Kratz, J. R., Lin, Z., Jain, M. K., Gimbrone, M. A., Jr., and Garcia-Cardena, G. (2006). Integration of flow-dependent endothelial phenotypes by Kruppel-like factor 2. *J Clin Invest* *116*, 49-58.

227. Zhao, Y., Chen, B. P., Miao, H., Yuan, S., Li, Y. S., Hu, Y., Rocke, D. M., and Chien, S. (2002). Improved significance test for DNA microarray data: temporal effects of shear stress on endothelial genes. *Physiol Genomics* *12*, 1-11.
228. Lin, K., Hsu, P. P., Chen, B. P., Yuan, S., Usami, S., Shyy, J. Y., Li, Y. S., and Chien, S. (2000). Molecular mechanism of endothelial growth arrest by laminar shear stress. *Proc Natl Acad Sci U S A* *97*, 9385-9389.
229. Mitsumata, M., Fishel, R. S., Nerem, R. M., Alexander, R. W., and Berk, B. C. (1993). Fluid shear stress stimulates platelet-derived growth factor expression in endothelial cells. *Am J Physiol* *265*, H3-8.
230. Akimoto, S., Mitsumata, M., Sasaguri, T., and Yoshida, Y. (2000). Laminar shear stress inhibits vascular endothelial cell proliferation by inducing cyclin-dependent kinase inhibitor p21(Sdi1/Cip1/Waf1). *Circ Res* *86*, 185-190.
231. Bartek, J., Bartkova, J., and Lukas, J. (1996). The retinoblastoma protein pathway and the restriction point. *Curr Opin Cell Biol* *8*, 805-814.
232. Conklin, B. S., Zhong, D. S., Zhao, W., Lin, P. H., and Chen, C. (2002). Shear stress regulates occludin and VEGF expression in porcine arterial endothelial cells. *J Surg Res* *102*, 13-21.
233. Dimmeler, S., Haendeler, J., Nehls, M., and Zeiher, A. M. (1997). Suppression of apoptosis by nitric oxide via inhibition of interleukin-1beta-converting enzyme (ICE)-like and cysteine protease protein (CPP)-32-like proteases. *J Exp Med* *185*, 601-607.

234. Dimmeler, S., Rippmann, V., Weiland, U., Haendeler, J., and Zeiher, A. M. (1997). Angiotensin II induces apoptosis of human endothelial cells. Protective effect of nitric oxide. *Circ Res* 81, 970-976.
235. Caplan, B. A., and Schwartz, C. J. (1973). Increased endothelial cell turnover in areas of in vivo Evans Blue uptake in the pig aorta. *Atherosclerosis* 17, 401-417.
236. Bell, F. P., Adamson, I. L., and Schwartz, C. J. (1974). Aortic endothelial permeability to albumin: focal and regional patterns of uptake and transmural distribution of <sup>131</sup>I-albumin in the young pig. *Exp Mol Pathol* 20, 57-68.
237. Stemerman, M. B., Morrel, E. M., Burke, K. R., Colton, C. K., Smith, K. A., and Lees, R. S. (1986). Local variation in arterial wall permeability to low density lipoprotein in normal rabbit aorta. *Arteriosclerosis* 6, 64-69.
238. Lin, S. J., Jan, K. M., Schuessler, G., Weinbaum, S., and Chien, S. (1988). Enhanced macromolecular permeability of aortic endothelial cells in association with mitosis. *Atherosclerosis* 73, 223-232.
239. Chen, Y. L., Jan, K. M., Lin, H. S., and Chien, S. (1995). Ultrastructural studies on macromolecular permeability in relation to endothelial cell turnover. *Atherosclerosis* 118, 89-104.
240. Schwenke, D. C., and Carew, T. E. (1989). Initiation of atherosclerotic lesions in cholesterol-fed rabbits. II. Selective retention of LDL vs. selective increases in LDL permeability in susceptible sites of arteries. *Arteriosclerosis* 9, 908-918.
241. Texon, M. (1995) *Hemodynamic basis of atherosclerosis : with critique of the cholesterol-heart disease hypothesis*, 2nd and expanded ed., Begell House, New York.

242. Kwak, B. R., Mulhaupt, F., Veillard, N., Gros, D. B., and Mach, F. (2002). Altered pattern of vascular connexin expression in atherosclerotic plaques. *Arterioscler Thromb Vasc Biol* 22, 225-230.
243. Miao, H., Hu, Y. L., Shiu, Y. T., Yuan, S., Zhao, Y., Kaunas, R., Wang, Y., Jin, G., Usami, S., and Chien, S. (2005). Effects of flow patterns on the localization and expression of VE-cadherin at vascular endothelial cell junctions: in vivo and in vitro investigations. *J Vasc Res* 42, 77-89.
244. Dai, G., Kaazempur-Mofrad, M. R., Natarajan, S., Zhang, Y., Vaughn, S., Blackman, B. R., Kamm, R. D., Garcia-Cardena, G., and Gimbrone, M. A., Jr. (2004). Distinct endothelial phenotypes evoked by arterial waveforms derived from atherosclerosis-susceptible and -resistant regions of human vasculature. *Proc Natl Acad Sci U S A* 101, 14871-14876.
245. Liu, Y., Chen, B. P., Lu, M., Zhu, Y., Stemerman, M. B., Chien, S., and Shyy, J. Y. (2002). Shear stress activation of SREBP1 in endothelial cells is mediated by integrins. *Arterioscler Thromb Vasc Biol* 22, 76-81.
246. Cheng, C., Tempel, D., van Haperen, R., van der Baan, A., Grosveld, F., Daemen, M. J., Krams, R., and de Crom, R. (2006). Atherosclerotic lesion size and vulnerability are determined by patterns of fluid shear stress. *Circulation* 113, 2744-2753.
247. Moore, J., Jr., and Berry, J. L. (2002). Fluid and solid mechanical implications of vascular stenting. *Ann Biomed Eng* 30, 498-508.

248. Duraiswamy, N., Jayachandran, B., Byrne, J., Moore, J. E., Jr., and Schoephoerster, R. T. (2005). Spatial distribution of platelet deposition in stented arterial models under physiologic flow. *Ann Biomed Eng* 33, 1767-1777.
249. Libby, P. (2000). Coronary artery injury and the biology of atherosclerosis: inflammation, thrombosis, and stabilization. *Am J Cardiol* 86, 3J-8J; discussion 8J-9J.
250. Folie, B. J., and McIntire, L. V. (1989). Mathematical analysis of mural thrombogenesis. Concentration profiles of platelet-activating agents and effects of viscous shear flow. *Biophys J* 56, 1121-1141.
251. Chatzizisis, Y. S., Jonas, M., Coskun, A. U., Beigel, R., Stone, B. V., Maynard, C., Gerrity, R. G., Daley, W., Rogers, C., Edelman, E. R., Feldman, C. L., and Stone, P. H. (2008). Prediction of the localization of high-risk coronary atherosclerotic plaques on the basis of low endothelial shear stress: an intravascular ultrasound and histopathology natural history study. *Circulation* 117, 993-1002.
252. Bentzon, J. F., Weile, C., Sondergaard, C. S., Hindkjaer, J., Kassem, M., and Falk, E. (2006). Smooth muscle cells in atherosclerosis originate from the local vessel wall and not circulating progenitor cells in ApoE knockout mice. *Arterioscler Thromb Vasc Biol* 26, 2696-2702.
253. Chatzizisis, Y. S., Coskun, A. U., Jonas, M., Edelman, E. R., Feldman, C. L., and Stone, P. H. (2007). Role of endothelial shear stress in the natural history of coronary atherosclerosis and vascular remodeling: molecular, cellular, and vascular behavior. *J Am Coll Cardiol* 49, 2379-2393.

254. Virmani, R., Kolodgie, F. D., Burke, A. P., Farb, A., and Schwartz, S. M. (2000). Lessons from sudden coronary death: a comprehensive morphological classification scheme for atherosclerotic lesions. *Arterioscler Thromb Vasc Biol* *20*, 1262-1275.
255. Burke, A. P., Kolodgie, F. D., Farb, A., Weber, D., and Virmani, R. (2002). Morphological predictors of arterial remodeling in coronary atherosclerosis. *Circulation* *105*, 297-303.
256. Varnava, A. M., Mills, P. G., and Davies, M. J. (2002). Relationship between coronary artery remodeling and plaque vulnerability. *Circulation* *105*, 939-943.
257. Sipahi, I., Tuzcu, E. M., Schoenhagen, P., Nicholls, S. J., Chen, M. S., Crowe, T., Loyd, A. B., Kapadia, S., and Nissen, S. E. (2006). Paradoxical increase in lumen size during progression of coronary atherosclerosis: observations from the REVERSAL trial. *Atherosclerosis* *189*, 229-235.
258. MacIsaac, A. I., Thomas, J. D., and Topol, E. J. (1993). Toward the quiescent coronary plaque. *J Am Coll Cardiol* *22*, 1228-1241.
259. Wentzel, J. J., Janssen, E., Vos, J., Schuurbiers, J. C., Krams, R., Serruys, P. W., de Feyter, P. J., and Slager, C. J. (2003). Extension of increased atherosclerotic wall thickness into high shear stress regions is associated with loss of compensatory remodeling. *Circulation* *108*, 17-23.
260. Feldman, C. L., Coskun, A. U., Yeghiazarians, Y., Kinlay, S., Wahle, A., Olszewski, M. E., Rossen, J. D., Sonka, M., Popma, J. J., Orav, J., Kuntz, R. E., and Stone, P. H. (2006). Remodeling characteristics of minimally diseased

- coronary arteries are consistent along the length of the artery. Am J Cardiol 97, 13-16.
261. Cheng, C., van Haperen, R., de Waard, M., van Damme, L. C., Tempel, D., Hanemaaijer, L., van Cappellen, G. W., Bos, J., Slager, C. J., Duncker, D. J., van der Steen, A. F., de Crom, R., and Krams, R. (2005). Shear stress affects the intracellular distribution of eNOS: direct demonstration by a novel in vivo technique. Blood 106, 3691-3698.
262. Taichman, D. B., Schachtner, S. K., Li, Y., Puri, M. C., Bernstein, A., and Scott Baldwin, H. (2003). A unique pattern of Tie1 expression in the developing murine lung. Exp Lung Res 29, 113-122.
263. Simmons, C. A., Grant, G. R., Manduchi, E., and Davies, P. F. (2005). Spatial heterogeneity of endothelial phenotypes correlates with side-specific vulnerability to calcification in normal porcine aortic valves. Circ Res 96, 792-799.
264. Sauer, B. (1998). Inducible gene targeting in mice using the Cre/lox system. Methods 14, 381-392.
265. Sinclair, A. M., Gottgens, B., Barton, L. M., Stanley, M. L., Pardanaud, L., Klaine, M., Gering, M., Bahn, S., Sanchez, M., Bench, A. J., Fordham, J. L., Bockamp, E., and Green, A. R. (1999). Distinct 5' SCL enhancers direct transcription to developing brain, spinal cord, and endothelium: neural expression is mediated by GATA factor binding sites. Dev Biol 209, 128-142.
266. Feil, R., Brocard, J., Mascrez, B., LeMeur, M., Metzger, D., and Chambon, P. (1996). Ligand-activated site-specific recombination in mice. Proc Natl Acad Sci U S A 93, 10887-10890.

267. Gothert, J. R., Gustin, S. E., van Eekelen, J. A., Schmidt, U., Hall, M. A., Jane, S. M., Green, A. R., Gottgens, B., Izon, D. J., and Begley, C. G. (2004). Genetically tagging endothelial cells in vivo: bone marrow-derived cells do not contribute to tumor endothelium. *Blood* *104*, 1769-1777.
268. Babaev, V. R., Yancey, P. G., Ryzhov, S. V., Kon, V., Breyer, M. D., Magnuson, M. A., Fazio, S., and Linton, M. F. (2005). Conditional knockout of macrophage PPARgamma increases atherosclerosis in C57BL/6 and low-density lipoprotein receptor-deficient mice. *Arterioscler Thromb Vasc Biol* *25*, 1647-1653.
269. Fazio, S., Babaev, V. R., Murray, A. B., Hasty, A. H., Carter, K. J., Gleaves, L. A., Atkinson, J. B., and Linton, M. F. (1997). Increased atherosclerosis in mice reconstituted with apolipoprotein E null macrophages. *Proc Natl Acad Sci U S A* *94*, 4647-4652.
270. Schmittgen, T. D., and Livak, K. J. (2008). Analyzing real-time PCR data by the comparative C(T) method. *Nat Protoc* *3*, 1101-1108.
271. Goel, R., Schrank, B. R., Arora, S., Boylan, B., Fleming, B., Miura, H., Newman, P. J., Molthen, R. C., and Newman, D. K. (2008). Site-specific effects of PECAM-1 on atherosclerosis in LDL receptor-deficient mice. *Arterioscler Thromb Vasc Biol* *28*, 1996-2002.
272. Harry, B. L., Sanders, J. M., Feaver, R. E., Lansey, M., Deem, T. L., Zarbock, A., Bruce, A. C., Pryor, A. W., Gelfand, B. D., Blackman, B. R., Schwartz, M. A., and Ley, K. (2008). Endothelial cell PECAM-1 promotes atherosclerotic lesions in areas of disturbed flow in ApoE-deficient mice. *Arterioscler Thromb Vasc Biol* *28*, 2003-2008.

273. Butcher, J. T., Tressel, S., Johnson, T., Turner, D., Sorescu, G., Jo, H., and Nerem, R. M. (2006). Transcriptional profiles of valvular and vascular endothelial cells reveal phenotypic differences: influence of shear stress. *Arterioscler Thromb Vasc Biol* 26, 69-77.
274. Mikkola, T. S., and Clarkson, T. B. (2002). Estrogen replacement therapy, atherosclerosis, and vascular function. *Cardiovasc Res* 53, 605-619.
275. Walsh, B. W., Kuller, L. H., Wild, R. A., Paul, S., Farmer, M., Lawrence, J. B., Shah, A. S., and Anderson, P. W. (1998). Effects of raloxifene on serum lipids and coagulation factors in healthy postmenopausal women. *Jama* 279, 1445-1451.
276. Reckless, J., Metcalfe, J. C., and Grainger, D. J. (1997). Tamoxifen decreases cholesterol sevenfold and abolishes lipid lesion development in apolipoprotein E knockout mice. *Circulation* 95, 1542-1548.
277. Jaffe, E. A., Nachman, R. L., Becker, C. G., and Minick, C. R. (1973). Culture of human endothelial cells derived from umbilical veins. Identification by morphologic and immunologic criteria. *J Clin Invest* 52, 2745-2756.
278. Gerritsen, M. E., Shen, C. P., McHugh, M. C., Atkinson, W. J., Kiely, J. M., Milstone, D. S., Luscinskas, F. W., and Gimbrone, M. A., Jr. (1995). Activation-dependent isolation and culture of murine pulmonary microvascular endothelium. *Microcirculation* 2, 151-163.
279. Dong, Q. G., Bernasconi, S., Lostaglio, S., De Calmanovici, R. W., Martin-Padura, I., Breviario, F., Garlanda, C., Ramponi, S., Mantovani, A., and Vecchi, A. (1997). A general strategy for isolation of endothelial cells from murine

- tissues. Characterization of two endothelial cell lines from the murine lung and subcutaneous sponge implants. *Arterioscler Thromb Vasc Biol* 17, 1599-1604.
280. Marelli-Berg, F. M., Peek, E., Lidington, E. A., Stauss, H. J., and Lechler, R. I. (2000). Isolation of endothelial cells from murine tissue. *J Immunol Methods* 244, 205-215.
281. Cha, S. T., Talavera, D., Demir, E., Nath, A. K., and Sierra-Honigmann, M. R. (2005). A method of isolation and culture of microvascular endothelial cells from mouse skin. *Microvasc Res* 70, 198-204.
282. Toyama-Sorimachi, N., Miyake, K., and Miyasaka, M. (1993). Activation of CD44 induces ICAM-1/LFA-1-independent, Ca<sup>2+</sup>, Mg(2+)-independent adhesion pathway in lymphocyte-endothelial cell interaction. *Eur J Immunol* 23, 439-446.
283. Merrilees, M. J., and Scott, L. (1981). Interaction of aortic endothelial and smooth muscle cells in culture. Effect on glycosaminoglycan levels. *Atherosclerosis* 39, 147-161.
284. McGuire, P. G., and Orkin, R. W. (1987). Isolation of rat aortic endothelial cells by primary explant techniques and their phenotypic modulation by defined substrata. *Lab Invest* 57, 94-105.
285. Gimbrone, M. A., Jr., Cotran, R. S., and Folkman, J. (1974). Human vascular endothelial cells in culture. Growth and DNA synthesis. *J Cell Biol* 60, 673-684.
286. Gumkowski, F., Kaminska, G., Kaminski, M., Morrissey, L. W., and Auerbach, R. (1987). Heterogeneity of mouse vascular endothelium. In vitro studies of lymphatic, large blood vessel and microvascular endothelial cells. *Blood Vessels* 24, 11-23.

287. Magee, J. C., Stone, A. E., Oldham, K. T., and Guice, K. S. (1994). Isolation, culture, and characterization of rat lung microvascular endothelial cells. *Am J Physiol* 267, L433-441.
288. Geiger, M., Stone, A., Mason, S. N., Oldham, K. T., and Guice, K. S. (1997). Differential nitric oxide production by microvascular and macrovascular endothelial cells. *Am J Physiol* 273, L275-281.
289. Auerbach, R., Alby, L., Grieves, J., Joseph, J., Lindgren, C., Morrissey, L. W., Sidky, Y. A., Tu, M., and Watt, S. L. (1982). Monoclonal antibody against angiotensin-converting enzyme: its use as a marker for murine, bovine, and human endothelial cells. *Proc Natl Acad Sci U S A* 79, 7891-7895.
290. Kevil, C. G., and Bullard, D. C. (2001). In vitro culture and characterization of gene targeted mouse endothelium. *Acta Physiol Scand* 173, 151-157.
291. Nishiyama, T., Mishima, K., Ide, F., Yamada, K., Obara, K., Sato, A., Hitosugi, N., Inoue, H., Tsubota, K., and Saito, I. (2007). Functional analysis of an established mouse vascular endothelial cell line. *J Vasc Res* 44, 138-148.
292. Chen, S., Sega, M., and Agarwal, A. (2004). "Lumen digestion" technique for isolation of aortic endothelial cells from heme oxygenase-1 knockout mice. *Biotechniques* 37, 84-86, 88-89.
293. Kobayashi, M., Inoue, K., Warabi, E., Minami, T., and Kodama, T. (2005). A simple method of isolating mouse aortic endothelial cells. *J Atheroscler Thromb* 12, 138-142.
294. Suh, S. H., Vennekens, R., Manolopoulos, V. G., Freichel, M., Schweig, U., Prenen, J., Flockerzi, V., Droogmans, G., and Nilius, B. (1999). Characterisation

- of explanted endothelial cells from mouse aorta: electrophysiology and Ca<sup>2+</sup> signalling. *Pflugers Arch* 438, 612-620.
295. Lincoln, D. W., 2nd, Larsen, A. M., Phillips, P. G., and Bove, K. (2003). Isolation of murine aortic endothelial cells in culture and the effects of sex steroids on their growth. In *Vitro Cell Dev Biol Anim* 39, 140-145.
296. Huang, H., McIntosh, J., and Hoyt, D. G. (2003). An efficient, nonenzymatic method for isolation and culture of murine aortic endothelial cells and their response to inflammatory stimuli. In *Vitro Cell Dev Biol Anim* 39, 43-50.
297. Harder, R., Uhlig, H., Kashan, A., Schutt, B., Duijvestijn, A., Butcher, E. C., Thiele, H. G., and Hamann, A. (1991). Dissection of murine lymphocyte-endothelial cell interaction mechanisms by SV-40-transformed mouse endothelial cell lines: novel mechanisms mediating basal binding, and alpha 4-integrin-dependent cytokine-induced adhesion. *Exp Cell Res* 197, 259-267.
298. Lidington, E. A., Moyes, D. L., McCormack, A. M., and Rose, M. L. (1999). A comparison of primary endothelial cells and endothelial cell lines for studies of immune interactions. *Transpl Immunol* 7, 239-246.
299. Jat, P. S., Noble, M. D., Ataliotis, P., Tanaka, Y., Yannoutsos, N., Larsen, L., and Kioussis, D. (1991). Direct derivation of conditionally immortal cell lines from an H-2Kb-tsA58 transgenic mouse. *Proc Natl Acad Sci U S A* 88, 5096-5100.
300. Knedler, A., and Ham, R. G. (1987). Optimized medium for clonal growth of human microvascular endothelial cells with minimal serum. In *Vitro Cell Dev Biol* 23, 481-491.

301. Whitehead, R. H., VanEeden, P. E., Noble, M. D., Ataliotis, P., and Jat, P. S. (1993). Establishment of conditionally immortalized epithelial cell lines from both colon and small intestine of adult H-2Kb-tsA58 transgenic mice. *Proc Natl Acad Sci U S A* *90*, 587-591.
302. Lidington, E. A., Rao, R. M., Marelli-Berg, F. M., Jat, P. S., Haskard, D. O., and Mason, J. C. (2002). Conditional immortalization of growth factor-responsive cardiac endothelial cells from H-2K(b)-tsA58 mice. *Am J Physiol Cell Physiol* *282*, C67-74.
303. Langley, R. R., Ramirez, K. M., Tsan, R. Z., Van Arsdall, M., Nilsson, M. B., and Fidler, I. J. (2003). Tissue-specific microvascular endothelial cell lines from H-2K(b)-tsA58 mice for studies of angiogenesis and metastasis. *Cancer Res* *63*, 2971-2976.
304. Remuzzi, A., Dewey, C. F., Jr., Davies, P. F., and Gimbrone, M. A., Jr. (1984). Orientation of endothelial cells in shear fields in vitro. *Biorheology* *21*, 617-630.
305. McCarthy, M. J., Burrows, R., Bell, S. C., Christie, G., Bell, P. R., and Brindle, N. P. (1999). Potential roles of metalloprotease mediated ectodomain cleavage in signaling by the endothelial receptor tyrosine kinase Tie-1. *Lab Invest* *79*, 889-895.
306. Chachisvilis, M., Zhang, Y. L., and Frangos, J. A. (2006). G protein-coupled receptors sense fluid shear stress in endothelial cells. *Proc Natl Acad Sci U S A* *103*, 15463-15468.

307. Wang, Y., Chang, J., Chen, K. D., Li, S., Li, J. Y., Wu, C., and Chien, S. (2007). Selective adapter recruitment and differential signaling networks by VEGF vs. shear stress. *Proc Natl Acad Sci U S A* *104*, 8875-8879.
308. Zheng, W., Christensen, L. P., and Tomanek, R. J. (2004). Stretch induces upregulation of key tyrosine kinase receptors in microvascular endothelial cells. *Am J Physiol Heart Circ Physiol* *287*, H2739-2745.
309. Van Epps, J. S., Chew, D. W., and Vorp, D. A. (2009). Effects of cyclic flexure on endothelial permeability and apoptosis in arterial segments perfused ex vivo. *J Biomech Eng* *131*, 101005.
310. Koskinas, K. C., Chatzizisis, Y. S., Baker, A. B., Edelman, E. R., Stone, P. H., and Feldman, C. L. (2009). The role of low endothelial shear stress in the conversion of atherosclerotic lesions from stable to unstable plaque. *Curr Opin Cardiol*
311. Ahmed, A., Fujisawa, T., Niu, X. L., Ahmad, S., Al-Ani, B., Chudasama, K., Abbas, A., Potluri, R., Bhandari, V., Findley, C. M., Lam, G. K., Huang, J., Hewett, P. W., Cudmore, M., and Kontos, C. D. (2009). Angiopoietin-2 confers Atheroprotection in apoE-/- mice by inhibiting LDL oxidation via nitric oxide. *Circ Res* *104*, 1333-1336.
312. Hauer, A. D., Habets, K. L., van Wanrooij, E. J., de Vos, P., Krueger, J., Reisfeld, R. A., van Berkel, T. J., and Kuiper, J. (2009). Vaccination against TIE2 reduces atherosclerosis. *Atherosclerosis* *204*, 365-371.
313. Freyberg, M. A., Kaiser, D., Graf, R., Buttenbender, J., and Friedl, P. (2001). Proatherogenic flow conditions initiate endothelial apoptosis via thrombospondin-

- 1 and the integrin-associated protein. *Biochem Biophys Res Commun* 286, 141-149.
314. Dian, K., Xie, Y., Zhang, E., Shi, Y., and Chen, H. (2003). [Effect of turbulent flow on adhesion molecules expression of vascular endothelial cells]. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi* 20, 638-641.
315. Sucosky, P., Balachandran, K., Elhammali, A., Jo, H., and Yoganathan, A. P. (2009). Altered shear stress stimulates upregulation of endothelial VCAM-1 and ICAM-1 in a BMP-4- and TGF-beta1-dependent pathway. *Arterioscler Thromb Vasc Biol* 29, 254-260.