EXPRESSION AND TRANSCRIPTIONAL REGULATION OF THE ASD-ASSOCIATED MET RECEPTOR TYROSINE KINASE DURING MAMMALIAN FOREBRAIN DEVELOPMENT

By

Mica Y. Bergman

Dissertation

Submitted to the Faculty of the

Graduate School of Vanderbilt University

In partial fulfillment of the requirements

For the degree of

DOCTOR OF PHILOSOPHY

In

Neuroscience

August, 2011

Nashville, Tennessee

Approved:

Pat Levitt, Ph.D.

Karoly Mirnics, M.D.

Ronald Emeson, Ph.D.

Mary Zutter, M.D.

TABLE OF CONTENTS

Page

LIST OF TABLES v

LIST OF FIGURES vi

LIST OF ABBREVIATIONS viii

Chapter

I. INTRODUCTION 1

The Met receptor tyrosine kinase in neurobiology 2
Met and its ligand, heptaocyte growth factor/scatter factor (HGF/SF): discovery, structure, and signaling 2
Roles for Met in nervous system biology *in vitro* 4
Neuron survival 4
Neuron differentiation 5
Cell Migration 6
Neurite outgrowth 6
Synaptic activity and plasticity 8
Emerging roles for Met in nervous system biology *in vivo* 9
Met in Autism Spectrum Disorders (ASD) 11
Autism as a disorder of altered connectivity 11
Highly replicated genetic association of MET with ASD 13
Motivation for developmental Met mapping studies 16
Transcriptional regulation of Met 17
Known transcriptional regulators of Met 17
Specificity factor 4 (Sp4) 19
Sp transcription factor family: discovery and structure 19
Sp4 in the brain 20
Sp4 in human disease 22
Literature cited 25

II. DYNAMIC GENE AND PROTEIN EXPRESSION PATTERNS OF THE AUTISM-ASSOCIATED MET RECEPTOR TYROSINE KINASE IN THE DEVELOPING MOUSE FOREBRAIN 36

Introduction 37
Materials and methods 38
Results 45
Temporal patterns of Met expression during forebrain

Development 45
Expression of Met in developing projection neurons of the cerebral cortex (E17.5 – P16) 49
Cortically projecting fiber tracts (P0 – P16) 53
Corpus callosum 53
Cingulum 54
Anterior commissure 56
Internal capsule 58
External capsule 60
Expression of Met in developing projection neurons of the hippocampus (E18.5 – P16) 61
Expression of Met in developing projection neurons of the septum (E18.5 – P16) 64
Expression of Met in developing projection neurons of the amygdala (E18.5 – P16) 67
Expression of Met in developing projection neurons of the diencephalon (P0 – P16) 72
Expression of Met (P21 – P35) 78
Discussion 80
Restricted cell types express Met in the developing forebrain 81
Limbic system correlates of Met expression 84
A role for Met in neurodevelopmental and neuropsychiatric disorders 85
Literature cited 87

III. THE TRANSCRIPTION FACTOR SP4 BINDS TO THE 5'-REGULATORY REGION OF THE MET RECEPTOR TYROSINE KINASE GENE IN THE DEVELOPING MOUSE CORTEX 97

Introduction 98
Materials and methods 100
Results 106
Sp4, but not Sp1, is expressed in the mouse forebrain during the period of peak *Met* expression 106
In silico predictions of Sp-factor binding to the *Met* promoter 109
Sp4 binding to the mouse *Met* promoter 110
Sp4 binds the *Met* promoter *in vivo* in the P7 mouse cortex 114
Discussion 116
Sp4 as a member of a complex of proteins involved in regulating *Met* expression 116
Functional implications of Sp4 as a *Met*-regulating transcription factor 118
Role for Sp4 in neurodevelopmental disorders 120

Literature cited 123

IV. IDENTIFICATION OF NUCLEAR PROTEINS THAT INTERACT WITH THE 5'-REGULATORY REGION OF THE MET RECEPTOR TYROSINE KINASE GENE 129

Introduction 130
Materials and methods 132
Results 137
DNA oligonucleotide probe design 137
Streptavidin-pulldown experiments are compatible with mass spectrometric identification approaches 139
Summary of mass spectrometric results 142
Prioritization of mass spectrometric results 142
Discussion 147
B-cell CLL/lymphoma (Bcl11a) 148
Special AT-rich sequence-binding protein 2 (SATB2) 151
Assessment of technique and results 152
Literature cited 155

V. FUTURE DIRECTIONS 160

Summary of results 161
Validation of putative *Met*-regulating factors 162
Characterization of *Met*-regulating factors 165
Network of genes regulated by Sp4 166
In vivo manipulation of Sp4 during development 167
Possible roles for *Met*-regulating factors in contributing to ASD risk 168
Environmental influences on *Met* regulation 171
Literature cited 173

LIST OF TABLES

Table Page

CHAPTER I

1. *Met*-regulating transcription factors....18

CHAPTER IV

1. Positional location of oligonucleotide probes used in streptavidin-pulldown experiments....139

2. Gene Ontology (GO) terms used to define broad categories for prioritizing proteins identified by mass spectrometry....144

3. Proteins selected due to membership in one or both of the prioritized categories of GO terms....145-147

LIST OF FIGURES

Figure Page

CHAPTER II

1. Western blotting analysis of Met protein expression during forebrain development in wild type mice 47

S1. Qualitative histological and cytoarchitectural analyses in the early postnatal forebrain of *Emx1*^{cre}/*Met*$^{fx/fx}$ mice 49

2. A transient tangential gradient of *Met* transcript and protein expression in the early postnatal neocortex 51

3. Laminar patterning of *Met* transcript and protein expression in the neocortex 52

4. Met protein expression in the corpus callosum 54

S2. Met transcript and protein expression in the cingulated cortex and cingulum 55

5. Met transcript and protein expression in the piriform cortex and anterior commissure 57

S3. Differential Met protein expression in the anterior commissure 58

6. Met protein expression in the internal capsule and cerebral peduncle 60

S4. DIC photomicrographs illustrate Met immunohistochemistry in the external capsule in coronal sections 61

7. Met transcript and protein expression in the hippocampus 63

8. Met transcript and protein expression in the septum in coronal sections from wild type and *Emx1*^{cre}/*Met*$^{fx/fx}$ mice 66

9. *In situ* hybridization analysis of *Met* in the rostro-caudal extent of the amygdala during development 68

10. Met protein expression in the amygdala 71

S5. Decreased postnatal Met expression in the amygdala 72

11. Met transcript and protein expression in the thalamus in coronal sections from wild type and *Emx1*^{cre}/*Met*$^{fx/fx}$ mice 75

12. Met protein expression in the hypothalamus 76

13. Met transcript and protein expression in the epithalamus in coronal sections from wild type and *Emx1*^{cre}/*Met*$^{fx/fx}$ mice 77

S6. Decreased postnatal Met expression in the diencephalon 78

14. Analysis of Met transcript and protein expression in the developing mouse forebrain at P21 and P35 79

CHAPTER III

1. Expression of Sp1, Sp3, and Sp4 in the developing mouse neocortex 108

2. Graphs demonstrating TFScan predictions of Sp factor (Sp1, Sp3, or Sp4) binding sites along the mouse *Met* promoter 110

3. Location of oligonucleotide probes used in the streptavidin-pulldown assays 112

4. In streptavidin-pulldown assays, Sp4 binds *Met* promoter oligonucleotide probes in a region-specific manner 113

5. Chromatin immunoprecipitation (ChIP) analysis of Sp4 binding sites along the *Met* promoter in P7 mouse cortex 115

CHAPTER IV

1. Location of oligonucleotide probes used in streptavidin-pulldown assays 138

2. Silver stain of protein eluted following streptavidin-pulldown experiments with indicated oligonucleotide probe 140

3. Silver stain to assess tryptic digestion 141

CHAPTER V

1. TFScan predictions of Sp factor binding sites along the mouse and human *Met*/*MET* promoters 171

LIST OF ABBREVIATIONS USED IN FIGURES

3V	3rd ventricle
AB	accessory basal amygdaloid nucleus
aca	anterior commissure, anterior
aci	anterior commissure, intrabulbar
acp	anterior commissure, posterior
AD	anterodorsal thalamic nucleus
AV	anteroventral thalamic nucleus
alv	alveus
AOM	anterior olfactory nucleus, medial
AOL	anterior olfactory nucleus, lateral
B	basal amygdaloid nucleus
BST	bed nucleus of stria terminalis
CA1	cornu ammonis 1 of hippocampus
CA3	cornu ammonis 3 of hippocampus
cg	cingulum
Cg	cingulate cortex
COa	anterior cortical amygdaloid nucleus
COp	posterior cortical amygdaloid nucleus
cp	cerebral peduncle
CP	cortical plate
CPu	caudate putamen (striatum)
DG	dentate gyrus
dhc	dorsal hippocampal commissure
DL	dorsolateral thalamic nuclei
ec	external capsule
En	endopiriform nucleus
fi	fimbria of hippocampus
GrDG	granule layer of dentate gyrus
hbc	habenular commissure
HDB	nucleus of the diagonal band, horizontal limb
ic	internal capsule
IP	interpeduncular nucleus
L	lateral amygdaloid nucleus
LEnt	lateral entorhinal cortex
LGP	lateral globus pallidus
LHb	lateral habenula
LM	lateral mammillary nucleus
LSD	lateral septal nucleus, dorsal part
LSI	lateral septal nucleus, intermediate

LSV	lateral septal nucleus, ventral part
LV	lateral ventricle
M	medial amygdaloid nucleus
MHb	medial habenula
MM	medial mammillary nucleus
Mol	molecular layer of hippocampus
MPO	medial preoptic nucleus
MS	medial septal nucleus
mt	mammillothalamic tract
mtg	mammillotegmental tract
NLOT	nucleus of lateral olfactory tract
opt	optic tract
Or	oriens layer of hippocampus
Pir	piriform cortex
Py	pyramidal cell layer of hippocampus
Rad	stratum radiatum of hippocampus
RSG	retrosplenial granular cortex
S	subiculum
SHy	septohypothalamic nucleus
SI	substantia innominata
sm	stria medullaris
SP	subplate
st	stria terminalis
SuM	supramammillary nucleus
SVZ	subventricular zone, striatum
SVZC	subventricular zone, cortex
vhc	ventral hippocampal commissure
VL	ventrolateral thalamic nuclei
VTM	ventral tuberomammillary nucleus